

COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF PUBLIC WELFARE

CERTIFICATE OF COMPLIANCE

This Certificate is hereby granted to JEAN MCVEY

LEGAL ENTITY

To operate MCVEY PERSONAL CARE HOME

NAME OF FACILITY OR AGENCY

Located at 235 NORTH GALLATIN AVENUE, UNIONTOWN, PA 15401

(COMPLETE ADDRESS OF FACILITY OR AGENCY)

ADDRESS OF SATELLITE SITE

ADDRESS OF SATELLITE SITE

ADDRESS OF SATELLITE SITE

ADDRESS OF SATELLITE SITE

ADDRESS OF SATELLITE SITE

ADDRESS OF SATELLITE SITE

To provide Personal Care Homes

TYPE OF SERVICE(S) TO BE PROVIDED

The total number of persons which may be cared for at one time may not exceed 8
or the maximum capacity permitted by the Certificate of Occupancy, whichever is smaller.

(MAXIMUM CAPACITY)

Restrictions: _____

This certificate is granted in accordance with the Public Welfare Code of 1967, P.L. 31, as amended, and Regulations

55 Pa.Code Chapter 2600: Personal Care Homes

(MANUAL NUMBER AND TITLE OF REGULATIONS)

and shall remain in effect from April 15, 2011 until April 15, 2012,
unless sooner revoked for non-compliance with applicable laws and regulations.

No: 460240

Robert E. Robinson

ISSUING OFFICER

R. C. King

DIRECTOR

NOTE: This certificate is issued for the above site(s) only and is not transferable
and should be posted in a conspicuous place in the facility.

PW 628 - 01/11



COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF PUBLIC WELFARE
PO BOX 2675
HARRISBURG, PENNSYLVANIA 17105-2675

ADULT RESIDENTIAL LICENSING

APR 14 2011

PHONE: (717) 783-3670
FAX: (717) 783-5662

Ms. Jean McVey, Administrator
McVey Personal Care Home
235 North Gallatin Avenue
Uniontown, Pennsylvania 15401

Dear Ms. McVey:

As a result of the Department of Public Welfare's licensing inspection on March 3, 2011 of the above personal care home, the violations with 55 Pa.Code Ch. 2600 (relating to Personal Care Homes) specified on the enclosed Violation Report were found.

All violations specified on the enclosed Violation Report must be corrected by the dates specified on the Violation Report and continued compliance with 55 Pa.Code Ch. 2600 must be maintained. As soon as each violation is corrected, notify the Department's Regional Office of Adult Residential Licensing so that compliance can be verified.

A regular license is being issued based on the enclosed Violation Report. Your license is enclosed.



Sincerely,


A handwritten signature in black ink, appearing to read 'R. Melusky', with a long horizontal flourish extending to the right.

Ronald Melusky
Acting Director

Enclosures
License
Violation Report

VIOLATION REPORT
PERSONAL CARE HOMES - 55 Pa.Code Chapter 2600

NAME AND ADDRESS OF PERSONAL CARE HOME MCVEY PERSONAL CARE HOME, 235 NORTH GALLATIN AVENUE UNIONTOWN, PA 15401		CURRENT LICENSE NUMBER 460240	
INSPECTION DATES (Include all dates of the inspection) 03/03/2011		REGIONAL REPRESENTATIVE Michael Marini, Jason Williams	
PRINTED NAME AND TITLE OF LEGAL ENTITY REPRESENTATIVE SIGNING PLAN OF CORRECTION (Required on FIRST PAGE only unless multiple representatives produce the plan)			
SIGNATURE OF LEGAL ENTITY	DATE	REGIONAL LICENSING APPROVAL OF PLAN OF CORRECTION	DATE
	3/28/11		4-6-11

REGULATION 55 Pa.Code §2600	VIOLATION	DATE COMPLIANCE VERIFIED BY	PLAN OF CORRECTION (include a step-by-step plan to correct the specific violation, as well as a plan to assure the violation does not recur)	DATE COMPLIANCE VERIFIED BY
87 The home's rooms, hallways, interior stairs, outside steps, outside doorways, porches, ramps, evacuation routes, outside walkways and fire escapes shall be lighted and marked to ensure that residents, including those with vision impairments, can safely move through the home and safely evacuate.	The emergency exit from the second floor did not have a light at the top of the stairs. This poses a fall risk during an evacuation. <div style="text-align: center; font-weight: bold; font-size: 1.2em;">Western Region</div> <div style="text-align: center;">MAR 31 2011</div> Adult Residential Licensing	3/18/11	Took a before and after picture of a light I had installed for the emergency exit on the second floor. In the future I will make sure all exits are well lighted.	4-6-11 

VIOLATION REPORT
PERSONAL CARE HOMES - 55 Pa.Code Chapter 2600

NAME AND ADDRESS OF PERSONAL CARE HOME MCVEY PERSONAL CARE HOME, 235 NORTH GALLATIN AVENUE UNIONTOWN, PA 15401		CURRENT LICENSE NUMBER 460240	
INSPECTION DATES (Include all dates of the inspection) 03/03/2011		REGIONAL REPRESENTATIVE Michael Marini, Jason Williams	
PRINTED NAME AND TITLE OF LEGAL ENTITY REPRESENTATIVE SIGNING PLAN OF CORRECTION (Required on FIRST PAGE only unless multiple representatives produce the plan)			
SIGNATURE OF LEGAL ENTITY <i>Jean McVey</i>	DATE 3/28/11	REGIONAL LICENSING APPROVAL OF PLAN OF CORRECTION <i>JJP</i>	DATE 4-6-11

REGULATION 55 Pa.Code §2600	VIOLATION	DATE COMPLIANCE VERIFIED BY	PLAN OF CORRECTION (include a step-by-step plan to correct the specific violation, as well as a plan to assure the violation does not recur)	DATE COMPLIANCE VERIFIED BY
131a There shall be at least one operable fire extinguisher with a minimum 2-A rating for each floor, including the basement and attic.	The fire extinguisher in the attic was last inspected in July, 2008. Western Region MAR 31 2011 Adult Residential Licensing	3/17/11	I had Safety First come out to do a service call on the extinguisher in the attic. I had it recharged and tagged. In the future I will make sure all extinguisher are not missed during a yearly check.	4-6-11 <i>JJP</i>

VIOLATION REPORT
PERSONAL CARE HOMES - 55 Pa.Code Chapter 2600

NAME AND ADDRESS OF PERSONAL CARE HOME MCVEY PERSONAL CARE HOME, 235 NORTH GALLATIN AVENUE UNIONTOWN, PA 15401		CURRENT LICENSE NUMBER 460240	
INSPECTION DATES (Include all dates of the inspection) 03/03/2011		REGIONAL REPRESENTATIVE Michael Marini, Jason Williams	
PRINTED NAME AND TITLE OF LEGAL ENTITY REPRESENTATIVE SIGNING PLAN OF CORRECTION (Required on FIRST PAGE only unless multiple representatives produce the plan)			
SIGNATURE OF LEGAL ENTITY <i>Jean Mcvey</i>	DATE 3/28/11	REGIONAL LICENSING APPROVAL OF PLAN OF CORRECTION <i>JJP</i>	DATE 4-6-11

REGULATION 55 Pa.Code §2600	VIOLATION	DATE COMPLIANCE VERIFIED BY	PLAN OF CORRECTION (include a step-by-step plan to correct the specific violation, as well as a plan to assure the violation does not recur)	DATE COMPLIANCE VERIFIED BY
132c A written fire drill record shall include the date, time, the amount of time it took for evacuation, the exit route used, the number of residents in the home at the time of the drill, the number of residents evacuated, the number of staff persons participating, problems encountered and whether the fire alarm or smoke detector was operative.	The fire drill record for the fire drills conducted from 9/27/2010 to 2/28/2011 did not include the evacuation time. Western Region MAR 31 2011 Adult Residential Licensing	3/18/11	had a fire drill on March 18, 2011 made sure evacuation time was recorded. In the future I will double check to make sure time is recorded.	Steps have been taken to correct violation; full compliance is not verifiable <i>JJP</i> Date: 3-18-11 Initials (DPW)

VIOLATION REPORT
PERSONAL CARE HOMES - 55 Pa.Code Chapter 2600

NAME AND ADDRESS OF PERSONAL CARE HOME MCVEY PERSONAL CARE HOME, 235 NORTH GALLATIN AVENUE UNIONTOWN, PA 15401		CURRENT LICENSE NUMBER 460240	
INSPECTION DATES (Include all dates of the inspection) 03/03/2011		REGIONAL REPRESENTATIVE Michael Marini, Jason Williams	
PRINTED NAME AND TITLE OF LEGAL ENTITY REPRESENTATIVE SIGNING PLAN OF CORRECTION (Required on FIRST PAGE only unless multiple representatives produce the plan)			
SIGNATURE OF LEGAL ENTITY <i>Jeann Macey</i>	DATE 3/28/11	REGIONAL LICENSING APPROVAL OF PLAN OF CORRECTION <i>JJP</i>	DATE 4-6-11

REGULATION 55 Pa.Code §2600	VIOLATION	DATE COMPLIANCE VERIFIED BY	PLAN OF CORRECTION (include a step-by-step plan to correct the specific violation, as well as a plan to assure the violation does not recur)	DATE COMPLIANCE VERIFIED BY
171b5 If staff persons or volunteers of the home provide transportation for the residents, the vehicle shall have a first aid kit with the contents in 96.	The vehicle used to transport residents did not have a first aid kit. <p style="text-align: center; font-weight: bold; font-size: 1.2em;">Western Region</p> <p style="text-align: center;">MAR 31 2011</p> <p style="text-align: center;">Adult Residential Licensing</p>	3/26/11	I purchased a first-aid kit for the vehicle with all the required supplies. In the future I will do a routine check to make sure all required supplies are in the kit	4-6-11 <i>JJP</i>

VIOLATION REPORT
PERSONAL CARE HOMES - 55 Pa.Code Chapter 2600

NAME AND ADDRESS OF PERSONAL CARE HOME MCVEY PERSONAL CARE HOME, 235 NORTH GALLATIN AVENUE UNIONTOWN, PA 15401		CURRENT LICENSE NUMBER 460240	
INSPECTION DATES (Include all dates of the inspection) 03/03/2011		REGIONAL REPRESENTATIVE Michael Marini, Jason Williams	
PRINTED NAME AND TITLE OF LEGAL ENTITY REPRESENTATIVE SIGNING PLAN OF CORRECTION (Required on FIRST PAGE only unless multiple representatives produce the plan)			
SIGNATURE OF LEGAL ENTITY <i>John McVey</i>	DATE 3/28/11	REGIONAL LICENSING APPROVAL OF PLAN OF CORRECTION <i>JWP</i>	DATE 4-6-11

REGULATION 55 Pa.Code §2600	VIOLATION	DATE COMPLIANCE VERIFIED BY	PLAN OF CORRECTION (include a step-by-step plan to correct the specific violation, as well as a plan to assure the violation does not recur)	DATE COMPLIANCE VERIFIED BY
183e Prescription medications, OTC medications and CAM shall be stored in an organized manner under proper conditions of sanitation, temperature, moisture and light and in accordance with the manufacturer's instructions.	A blue tablet and half a white tablet were on the bottom shelf of the medication storage cupboard. <p style="text-align: center; font-weight: bold; font-size: 1.2em;">Western Region</p> <p style="text-align: center;">MAR 31 2011</p> <p style="text-align: center;">Adult Residential Licensing</p>	3/26/11	<i>I cleaned the medicine cabinet out and reorganize it. In the future I will do a daily check of meds. In cabinet to make sure there are no loose pills laying on the shelf.</i>	<div style="writing-mode: vertical-rl; transform: rotate(180deg); font-size: 0.8em;"> Steps have been taken to correct violation; full compliance is not verifiable 4-6-11 JWP Date Initials (DPW) </div>