

COMMONWEALTH OF PENNSYLVANIA  
DEPARTMENT OF PUBLIC WELFARE

# CERTIFICATE OF COMPLIANCE

This Certificate is hereby granted to ELWYN, INC.

LEGAL ENTITY

To operate ELWYN - RAINBOW HOUSE

NAME OF FACILITY OR AGENCY

Located at 64 EAST OLD BALTIMORE PIKE, ELWYN, PA 19063

(COMPLETE ADDRESS OF FACILITY OR AGENCY)

ADDRESS OF SATELLITE SITE

ADDRESS OF SATELLITE SITE

ADDRESS OF SATELLITE SITE

ADDRESS OF SATELLITE SITE

ADDRESS OF SATELLITE SITE

ADDRESS OF SATELLITE SITE

To provide Personal Care Homes

TYPE OF SERVICE(S) TO BE PROVIDED

The total number of persons which may be cared for at one time may not exceed 6  
or the maximum capacity permitted by the Certificate of Occupancy, whichever is smaller.

(MAXIMUM CAPACITY)

Restrictions: \_\_\_\_\_

This certificate is granted in accordance with the Public Welfare Code of 1967, P.L. 31, as amended, and Regulations

55 Pa.Code Chapter 2600: Personal Care Homes

(MANUAL NUMBER AND TITLE OF REGULATIONS)

and shall remain in effect from January 15, 2013 until January 15, 2014,  
unless sooner revoked for non-compliance with applicable laws and regulations.

No: 122670

*Robert E. Robinson*

ISSUING OFFICER

*R. C. King*

DIRECTOR

NOTE: This certificate is issued for the above site(s) only and is not transferable  
and should be posted in a conspicuous place in the facility.

PW 628 - 01/11



JAN 09 2013

Ms. Patricia Monroe, Director  
Elwyn, Inc.  
Hartman House  
111 Elwyn Road  
Elwyn, Pennsylvania 19063

RE: Elwyn – Rainbow House  
64 East Old Baltimore Pike  
Elwyn, Pennsylvania 19063

Dear Ms. Monroe:

As a result of the Department of Public Welfare's licensing inspection on November 19, 2012 and November 20, 2012, and the corrections you have made after our inspection, we have found the above personal care home to be in compliance with 55 Pa.Code Ch. 2600 (relating to Personal Care Homes). Therefore, a regular license is being issued. Your license is enclosed.

Sincerely,

A handwritten signature in black ink, appearing to read "Ronald Melusky". The signature is written in a cursive style with a long horizontal stroke extending to the right.

Ronald Melusky  
Director

Enclosures  
License  
Violation Report



Violation Report: 12267 - 11/10/2012 - Scharpf, Amy  
 PCH Name: ELWYN RAINBOW HOUSE

1. REGULATION 55 Pa.Code §2000  
 2800.105(g)(2) - Lint shall be cleaned from the vent duct and internal and external ductwork of clothes dryers according to the manufacturer's instructions.

2a. DESCRIPTION OF VIOLATION  
 There was a 3 inch diameter ball of lint and an excessive amount of dust behind the dryer in the home.

3. PLAN OF CORRECTION (POC) (Attach pages as necessary. Remember that you must sign and date any attached pages.)  
 Include steps to correct the violation described above and steps to prevent a similar violation from occurring again. If steps cannot be completed immediately, include dates by which the steps will be completed.

The lint was cleaned from the vent duct and internal and external ductwork of the clothes dryer on November 20, 2012. Staff will be required to check the dryer vent nightly and sign on a daily task list. Sign has been posted near the dryer in the laundry area to remind staff to do a thorough cleaning of lint and behind dryer to remove excessive dust and built-up dirt particles. Supervisor will check weekly to ensure staff is completing dryer check. Staff was trained on the new procedure at the staff meeting on November 30, 2012, and the procedure has been implemented.

Repeat Violation: No      Date(s) of Previous Violation(s):

Signature of Legal Entity Representative (Required on EVERY Page) *Patsie Munn* Director

Printed Name and Title of Legal Entity Representative (Required on EVERY Page) *Patsie Munn Director*      Date *12/4/12*

DEPARTMENT USE ONLY - HOMES MAY NOT WRITE BELOW THIS LINE!

The above plan of correction is approved as of 12/2/12 (Date)      Plan of correction implementation status as of 12/2/12 (Date)

The above plan of correction was approved by OPM (Initials)

Fully Implemented  
 Partially Implemented - Adequate Progress  
 Partially Implemented - Inadequate Progress  
 Not Implemented