

COMMONWEALTH OF PENNSYLVANIA  
DEPARTMENT OF PUBLIC WELFARE

# CERTIFICATE OF COMPLIANCE

This Certificate is hereby granted to DENEANE ARMEL  
LEGAL ENTITY

To operate DENEANE'S PERSONAL CARE HOME  
NAME OF FACILITY OR AGENCY

Located at 142 FAIRVIEW AVENUE, CONFLUENCE, PA 15424  
(COMPLETE ADDRESS OF FACILITY OR AGENCY)

\_\_\_\_\_  
ADDRESS OF SATELLITE SITE ADDRESS OF SATELLITE SITE

\_\_\_\_\_  
ADDRESS OF SATELLITE SITE ADDRESS OF SATELLITE SITE

\_\_\_\_\_  
ADDRESS OF SATELLITE SITE ADDRESS OF SATELLITE SITE

To provide Personal Care Homes  
TYPE OF SERVICE(S) TO BE PROVIDED

The total number of persons which may be cared for at one time may not exceed 18  
or the maximum capacity permitted by the Certificate of Occupancy, whichever is smaller.  
(MAXIMUM CAPACITY)

Restrictions: \_\_\_\_\_

This certificate is granted in accordance with the Public Welfare Code of 1967, P.L. 31, as amended, and Regulations

55 Pa.Code Chapter 2600: Personal Care Homes  
(MANUAL NUMBER AND TITLE OF REGULATIONS)

and shall remain in effect from February 28, 2013 until February 28, 2014,  
unless sooner revoked for non-compliance with applicable laws and regulations.

No: 321520

Robert E. Robinson  
ISSUING OFFICER

[Signature]  
DIRECTOR

NOTE: This certificate is issued for the above site(s) only and is not transferable and should be posted in a conspicuous place in the facility.



**pennsylvania**  
DEPARTMENT OF PUBLIC WELFARE

FEB 05 2013

Ms. Deneane R. Armel, Owner/Administrator  
Deneane's Personal Care Home  
142 Fairview Avenue  
Confluence, Pennsylvania 15424

Dear Ms. Armel:

As a result of the Department of Public Welfare's licensing inspection on November 28, 2012, and the corrections you have made after our inspection, we have found the above personal care home to be in compliance with 55 Pa.Code Ch. 2600 (relating to Personal Care Homes). Therefore, a regular license is being issued. Your license is enclosed.

Sincerely,

A handwritten signature in black ink, appearing to read 'R. Melusky', with a long horizontal stroke extending to the right.

Ronald Melusky  
Director

Enclosures  
License  
Violation Report



Violation Report: 32152 - 11/28/2012 - McConnell, Deb

PCH Name: DENEANE S PERSONAL CARE HOME

JAN 7 2013

**1. REGULATION 55 Pa.Code §2600**

2600.132(b) - A fire safety inspection and fire drill conducted by a fire safety expert shall be completed annually. Documentation of this fire drill and fire safety inspection shall be kept.

Western Field Office  
Adult Residential Licensing

**2a. DESCRIPTION OF VIOLATION**

The last fire drill and fire safety inspection observed by a fire safety expert was conducted on 10/15/11.

**3. PLAN OF CORRECTION (POC)** (Attach pages as necessary. Remember that you must sign and date any attached pages.)

Include steps to correct the violation described above and steps to prevent a similar violation from occurring again. If steps cannot be completed immediately, include dates by which the steps will be completed.

A fire safety inspection was scheduled prior to 10/15/12, however, the volunteer fire chief cancelled & Admin. did not follow up. The fire department was notified the evening of 11/28/12 and administered a fire safety inspection along with a drill on 12/1/12.

Admin. will insert reminders on several calendars to ensure that the fire safety inspection and drill are completed annually in accordance with DPW. Regulations.

Please see attached documentation regarding our fire safety inspection & drill on 12/1/2012.

Repeat Violation: No

Date(s) of Previous Violation(s):

Signature of Legal Entity Representative  
(Required on EVERY Page)

*Deneane R. Armel*

Printed Name and Title of Legal Entity Representative  
(Required on EVERY Page)

Deneane R. Armel

Date

1/2/2013

**DEPARTMENT USE ONLY - HOMES MAY NOT WRITE BELOW THIS LINE!**

The above plan of correction is approved as of

1/9/13  
(Date)

The above plan of correction was approved by

*[Signature]*  
(Initials)

Plan of correction implementation status as of

1/9/13  
(Date)

- Fully Implemented
- Partially Implemented - Adequate Progress
- Partially Implemented - Inadequate Progress
- Not Implemented