

COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF PUBLIC WELFARE

CERTIFICATE OF COMPLIANCE

This Certificate is hereby granted to THOMAS AND AMY SMITH
LEGAL ENTITY

To operate COMFORTS OF HOME
NAME OF FACILITY OR AGENCY

Located at 1619 LISTONBURG ROAD, CONFLUENCE, PA 15424
(COMPLETE ADDRESS OF FACILITY OR AGENCY)

ADDRESS OF SATELLITE SITE _____ ADDRESS OF SATELLITE SITE _____

ADDRESS OF SATELLITE SITE _____ ADDRESS OF SATELLITE SITE _____

ADDRESS OF SATELLITE SITE _____ ADDRESS OF SATELLITE SITE _____

To provide Personal Care Homes
TYPE OF SERVICE(S) TO BE PROVIDED

The total number of persons which may be cared for at one time may not exceed 18
or the maximum capacity permitted by the Certificate of Occupancy, whichever is smaller.
(MAXIMUM CAPACITY)

Restrictions: _____

This certificate is granted in accordance with the Public Welfare Code of 1967, P.L. 31, as amended, and Regulations

55 Pa.Code Chapter 2600: Personal Care Homes
(MANUAL NUMBER AND TITLE OF REGULATIONS)

and shall remain in effect from May 15, 2014 until November 15, 2014,
unless sooner revoked for non-compliance with applicable laws and regulations.

No: **331131**

Robert E. Robinson
ISSUING OFFICER

Matthew J. [Signature]
ACTING DIRECTOR

NOTE: This certificate is issued for the above site(s) only and is not transferable and should be posted in a conspicuous place in the facility.

PW 628 - 10/13



pennsylvania
DEPARTMENT OF PUBLIC WELFARE

MAY 27 2014

Ms. Amy Smith, Administrator
Thomas and Amy Smith
1619 Listonburg Road
Confluence, Pennsylvania 15424

RE: Comforts of Home
License #: 331130

Dear Ms. Smith:

As a result of the Department of Public Welfare's licensing inspection on February 13, 2014, of the above facility, we have found that your facility is in substantial compliance with the regulations, set forth in 55 Pa.Code Ch. 2600 (relating to Personal Care Homes), that can be adequately assessed at this time. The licensing inspector was unable to complete a full inspection because this is a new legal entity operating the home.

During the inspection, violations on the enclosed License Inspection Summary were found. All violations specified on the License Inspection Summary must be corrected by the dates specified on the License Inspection Summary and continued compliance with 55 Pa.Code Ch. 2600 must be maintained.


Your PROVISIONAL license is enclosed, based on substantial but not complete compliance with 55 Pa.Code Ch. 2600.

Sincerely,

Matthew J. Jones
Director

Enclosures
License
License Inspection Summary

**VIOLATION REPORT
PERSONAL CARE HOMES - 55 Pa.Code Chapter 2600**

PCH Name: <i>Comforts of Home</i>		License Number: 33113
Address: 1619 LISTONBERG ROAD, CONFLUENCE, PA 15424		County: Somerset
Administrator: Amy Smith		Region: WEST
Legal Entity Name: <i>Thomas et Amy Smith</i>		
Legal Entity Address: 1619 LISTONBERG ROAD, CONFLUENCE, PA 15424		
Certificate(s) of Occupancy C-2 LP 09/17/1986 Dept L&I		
Staffing Hours Resident Support: 0 Total Daily Staff: 20 Waking Staff: 15		
Type of Inspection: Full BHA Docket Number: Notice: Unannounced		
Reason(s) for Inspection(s) Renewal, Interim		
On-Site Inspections Dates and Department Representatives On-Site 02/13/2014: Bacher, Mike		
Off-Site Inspection Dates and Inspectors, if Applicable <div align="center" style="margin-top: 20px;">  APR 16 2014 WEST REGION FIELD OFFICE Human Services Licensing </div>		
Other Details Partial or Full Triggers: Random Indicators:		
Resident Demographic Data as of Inspection Dates		
Licensed Capacity: 12 Number of Residents Served: 18 Secured Dementia Care Unit in Home: No Area: Secured Dementia Unit Capacity, if Applicable: Number of Residents Served in Secured Dementia Care Unit, if applicable: Number of Current Hospice Residents: 7 Number of Hospice Residents in past year: 7	Number of Residents who: Receive Supplemental Security Income: 16 Are 60 Years of Age or Older: 15 Have Mental Illness: 8 Have an Intellectual Disability: 3 Have a Mobility Need: 2 Have a Physical Disability: 0	

Violation Report: 33113 - 02/13/2014 - Bacher, Mike
 PCH Name: Comforts of Home

1. REGULATION 55 Pa.Code §2600
 2600.13(b) - The maximum capacity specified on the license may not be exceeded.

RECEIVED

APR 16 2014

2a. DESCRIPTION OF VIOLATION
 On 2/13/14, there were 18 residents living in the home. The home's licensed capacity is 12.

WEST REGION FIELD OFFICE
 Human Services Licensing

3. PLAN OF CORRECTION (POC) (Attach pages as necessary. Remember that you must sign and date any attached pages.)
 Include steps to correct the violation described above and steps to prevent a similar violation from occurring again. If steps cannot be completed immediately, include dates by which the steps will be completed.

Self inspect paperwork was shown to inspector on 2/13/14.
 Paperwork was also then faxed upon request on 3/13/14.
 Home also requested to be inspected for 18 residents.
 The building was originally licensed for 17 residents and the home is now larger & there is no longer a personal residence in the home. Therefore, the home is much larger and spacious to accommodate 18 residents. At the time of inspection the inspector did not show any concerns to administration nor was this discussed at the exit interview.
 By 5/14/14 - The administrator will submit all required documentation regarding the change of legal entity to the Department's headquarters. 8/19/14

Repeat Violation: No Date(s) of Previous Violation(s):

Signature of Legal Entity Representative (Required on EVERY Page) *Karen L Miller*

Printed Name and Title of Legal Entity Representative (Required on EVERY Page) *Karen L. Miller* Date *4/15/14*

DEPARTMENT USE ONLY - HOMES MAY NOT WRITE BELOW THIS LINE!

The above plan of correction is approved as of <u>5/9/14</u> (Date)	Plan of correction implementation status as of <u>5/9/14</u> (Date)
The above plan of correction was approved by <i>[Signature]</i> (Initials)	<input type="checkbox"/> Fully Implemented <input type="checkbox"/> Partially Implemented - Adequate Progress <input checked="" type="checkbox"/> Partially Implemented - Inadequate Progress <input type="checkbox"/> Not Implemented

Violation Report: 53113 - 02/13/2014 - Bacher, Mike

PCH Name: Comforts at Home

APR 16 2014

1. REGULATION 55 Pa.Code §2600
2600.85(a) - Sanitary conditions shall be maintained.

WEST REGION FIELD OFFICE
Human Services Licensing

2a. DESCRIPTION OF VIOLATION

On 2/13/14, at 9:50 am, there was a stack of cardboard; approximately 13 boxes broke down, on the floor near the door way in the pantry.

3. PLAN OF CORRECTION (POC) (Attach pages as necessary. Remember that you must sign and date any attached pages.)

Include steps to correct the violation described above and steps to prevent a similar violation from occurring again. If steps cannot be completed immediately, include dates by which the steps will be completed.

Boxes were broken down due to a food delivery. They were clean and stacked neatly, they just had not been removed from the pantry area yet. They were immediately removed.

Administrator will instruct staff to remove boxes immediately after food deliveries. Staff will also be reminded to maintain all sanitary conditions.

Administrator will also check areas daily as she walks through the home & complete a weekly inspection of the entire home.

Please see attached photo.

Repeat Violation: No

Date(s) of Previous Violation(s):

Signature of Legal Entity Representative
(Required on EVERY Page)

Karen L. Miller

Printed Name and Title of Legal Entity Representative
(Required on EVERY Page)

Karen L. Miller

Date

4/15/14

DEPARTMENT USE ONLY - HOMES MAY NOT WRITE BELOW THIS LINE!

The above plan of correction is approved as of

5/9/14
(Date)

Plan of correction implementation status as of

5/9/14
(Date)

The above plan of correction was approved by

[Signature]
(Initials)

- Fully Implemented
- Partially Implemented - Adequate Progress
- Partially Implemented - Inadequate Progress
- Not Implemented

Violation Report: 33113 - 02/13/2014 - Bacher, Mike

APR 16 2014

PCH Name: Comforts of Home

WEST HEBRON FIELD OFFICE
Human Services Division

1. REGULATION 55 Pa.Code §2600

2600.101(j)(7) - Each resident shall have the following in the bedroom: An operable lamp or other source of lighting that can be turned on at bedside.

2a. DESCRIPTION OF VIOLATION

Beds A and B in room #2 do not have a source of light that can be turned on/off from bedside.

3. PLAN OF CORRECTION (POC) (Attach pages as necessary. Remember that you must sign and date any attached pages.)

Include steps to correct the violation described above and steps to prevent a similar violation from occurring again. If steps cannot be completed immediately, include dates by which the steps will be completed.

Beds A & B in Room 2 had a source of light but the lamps were out of reach when the residents were in bed. The furniture was immediately re-arranged so that the residents can turn their lamp on/off from bedside.

Administrator will check areas daily as she walks through the home and also complete a weekly inspection of the entire facility to ensure all bedside lights are accessible.

Administrator will also continue to remind staff.

Please see attached photo.

Repeat Violation: No

Date(s) of Previous Violation(s):

Signature of Legal Entity Representative
(Required on EVERY Page)

Karen L. Miller

Printed Name and Title of Legal Entity Representative
(Required on EVERY Page)

Karen L. Miller

Date 4/15/14

DEPARTMENT USE ONLY - HOMES MAY NOT WRITE BELOW THIS LINE!

The above plan of correction is approved as of

5/9/14
(Date)

Plan of correction implementation status as of

5/9/14
(Date)

- Fully Implemented *o*
- Partially Implemented - Adequate Progress
- Partially Implemented - Inadequate Progress
- Not Implemented

The above plan of correction was approved by

o
(Initials)

Violation Report: 33113-02/13/2014 - Bacher, Mike
PCH Name: 1 Comforts of Home

APR 16 2014

1. REGULATION 55 Pa.Code §2600
2600.129(a) - A fireplace must be securely screened or equipped with protective guards while in use.

WEST REGION FIELD OFFICE
Human Services Licensing

2a. DESCRIPTION OF VIOLATION
On 2/13/14, the gas fireplace in the home's main living room was in use. There was no screen or protective guard in place; the surface above the fire place was extremely hot the temperature could not be measured.

3. PLAN OF CORRECTION (POC) (Attach pages as necessary. Remember that you must sign and date any attached pages.)
Include steps to correct the violation described above and steps to prevent a similar violation from occurring again. If steps cannot be completed immediately, include dates by which the steps will be completed.

A screen was purchased and immediately used.
Please see the attached photo.

Administrator will complete a weekly check of the entire home to ensure safety throughout the entire home.

Please see attached photos.
By 5-31-14 - all staff and residents will be educated on the risks of burns from the fireplace and other heat sources.

By 5-31-14 - The administrator will assess all residents to determine if each resident can safely avoid these heat sources. Any resident assessed as unable to safely avoid the hazard will be supervised when near these heat sources.

Repeat Violation: No Date(s) of Previous Violation(s):

Signature of Legal Entity Representative (Required on EVERY Page) Karen L. Miller

Printed Name and Title of Legal Entity Representative (Required on EVERY Page) Karen L. Miller Date 4/15/14

DEPARTMENT USE ONLY - HOMES MAY NOT WRITE BELOW THIS LINE!

The above plan of correction is approved as of 5/9/14 (Date)
The above plan of correction was approved by [Signature] (Initials)
Plan of correction implementation status as of 5/9/14 (Date)
 Fully Implemented
 Partially Implemented - Adequate Progress
 Partially Implemented - Inadequate Progress
 Not implemented

Violation Report: 33113 - 02/13/2014 - Bacher, Mike

PCH Name: Comforts of Home

1. REGULATION 55 Pa.Code §2600

2600.133(a)(1) - If the home serves nine or more residents, signs bearing the word "EXIT" in plain legible letters shall be placed at all exits.

2a. DESCRIPTION OF VIOLATION

There are no exit signs over the two exit doors in the main living room.

APR 16 2014

WEST REGION FIELD OFFICE
Human Services Licensing

3. PLAN OF CORRECTION (POC) (Attach pages as necessary. Remember that you must sign and date any attached pages.)

Include steps to correct the violation described above and steps to prevent a similar violation from occurring again. If steps cannot be completed immediately, include dates by which the steps will be completed.

The main living room had just been painted.
Exit signs were re-hung at the time of inspection.
Administrator will check all exit ways during weekly checks to ensure all exit signs are in plain legible letters & placed at all exits.
Please see attached photos.

Repeat Violation: No	Date(s) of Previous Violation(s):		
----------------------	-----------------------------------	--	--

Signature of Legal Entity Representative (Required on EVERY Page) *Karen L. Miller*

Printed Name and Title of Legal Entity Representative (Required on EVERY Page) *Karen L. Miller* Date *4/15/14*

DEPARTMENT USE ONLY - HOMES MAY NOT WRITE BELOW THIS LINE!

The above plan of correction is approved as of <u>5/9/14</u> (Date)	Plan of correction implementation status as of <u>5/9/14</u> (Date)
The above plan of correction was approved by <u><i>[Signature]</i></u> (Initials)	<input checked="" type="checkbox"/> Fully Implemented <i>[Signature]</i> <input type="checkbox"/> Partially Implemented - Adequate Progress <input type="checkbox"/> Partially Implemented - Inadequate Progress <input type="checkbox"/> Not Implemented

**Self-Inspection and Declaration Tool - Increase in Maximum Capacity
55 Pa.Code Chapter 2600**

Facility Name: Karen Miller's PCH	Current Maximum Capacity: 12	New Maximum Capacity: 18
Street Address: 1619 LISTONBURG RD CONEWING PA 15424		
License Number: 32160		
Inspection Date(s): 10-30-14	Facility Inspectors: Self INSPECTION	

Regulation- 55 Pa.Code Ch. 2600	Violation and Corrective Action, if Applicable	Corrective Action Status, if Violation was Found (Select)
81(a) The home shall provide or arrange for physical site accommodations and equipment necessary to meet the health and safety needs of a resident with a disability and to allow safe movement within the home and exiting from the home.		<input checked="" type="checkbox"/> N/A - No Violation <input type="checkbox"/> Fully Corrected <input type="checkbox"/> Partly Corrected <input type="checkbox"/> Not Corrected
82(a)-(c) Poisonous materials shall be stored in their original, labeled containers. Poisonous materials shall be stored separately from food, food preparation surfaces and dining surfaces. Poisonous materials shall be kept locked and inaccessible to residents unless all of the residents living in the home are able to safely use or avoid poisonous materials.		<input checked="" type="checkbox"/> N/A - No Violation <input type="checkbox"/> Fully Corrected <input type="checkbox"/> Partly Corrected <input type="checkbox"/> Not Corrected
83(a)-(b) The indoor temperature, in areas used by the residents, must be at least 70°F when residents are present in the home. If a home does not provide air conditioning, fans shall be made available to residents when the indoor temperature exceeds 80°F.		<input checked="" type="checkbox"/> N/A - No Violation <input type="checkbox"/> Fully Corrected <input type="checkbox"/> Partly Corrected <input type="checkbox"/> Not Corrected
84 Heat sources, such as steam and hot heating pipes, water pipes, fixed space heaters, hot water heaters and radiators exceeding 120° F that are accessible to the resident must be equipped with protective guards or insulation to prevent the resident from coming in contact with the heat source.	Guards on fireplace + propane wall unit. 2/17/14	<input type="checkbox"/> N/A - No Violation <input checked="" type="checkbox"/> Fully Corrected <input type="checkbox"/> Partly Corrected <input type="checkbox"/> Not Corrected

Regulation- 55 Pa.Code Ch. 2600	Violation and Corrective Action, if Applicable	Corrective Action Status, if Violation was Found (Select)
<p>85(a)-(d) Sanitary conditions shall be maintained. There may be no evidence of infestation of insects or rodents in the home. Trash shall be removed from the premises at least once a week. Trash in kitchens and bathrooms shall be kept in covered trash receptacles that prevent the penetration of insects and rodents.</p>		<input checked="" type="checkbox"/> N/A - No Violation <input type="checkbox"/> Fully Corrected <input type="checkbox"/> Partly Corrected <input type="checkbox"/> Not Corrected
<p>86(a)-(b) All areas of the home that are used by the resident shall be ventilated. Ventilation includes an operable window, air conditioner, fan or mechanical ventilation that ensures airflow. A bathroom that does not have an operable, outside window shall be equipped with an exhaust fan for ventilation</p>		<input checked="" type="checkbox"/> N/A - No Violation <input type="checkbox"/> Fully Corrected <input type="checkbox"/> Partly Corrected <input type="checkbox"/> Not Corrected
<p>87 The home's rooms, hallways, interior stairs, outside steps, outside doorways, porches, ramps, evacuation routes, outside walkways and fire escapes shall be lighted and marked to ensure that residents, including those with vision impairments, can safely move through the home and safely evacuate.</p>		<input checked="" type="checkbox"/> N/A - No Violation <input type="checkbox"/> Fully Corrected <input type="checkbox"/> Partly Corrected <input type="checkbox"/> Not Corrected
<p>88(a)-(b) Floors, walls, ceilings, windows, doors and other surfaces must be clean, in good repair and free of hazards. The home may not use asbestos products for renovations or new construction.</p>		<input checked="" type="checkbox"/> N/A - No Violation <input type="checkbox"/> Fully Corrected <input type="checkbox"/> Partly Corrected <input type="checkbox"/> Not Corrected
<p>89(a)-(b) The home must have hot and cold water under pressure in each bathroom, kitchen and laundry area to accommodate the needs of the residents in the residence. Hot water temperature in areas accessible to the resident may not exceed 120°F.</p>		<input checked="" type="checkbox"/> N/A - No Violation <input type="checkbox"/> Fully Corrected <input type="checkbox"/> Partly Corrected <input type="checkbox"/> Not Corrected

Regulation- 55 Pa.Code Ch. 2600	Violation and Corrective Action, if Applicable	Corrective Action Status, if Violation was Found: (Select)
<p>92 Windows, including windows in doors, must be in good repair and securely screened when doors or windows are open.</p>		<input checked="" type="checkbox"/> N/A - No Violation <input type="checkbox"/> Fully Corrected <input type="checkbox"/> Partly Corrected <input type="checkbox"/> Not Corrected
<p>93(a)-(b) Each ramp, interior stairway and outside steps must have a well-secured handrail. Each porch must have a well-secured railing.</p>		<input checked="" type="checkbox"/> N/A - No Violation <input type="checkbox"/> Fully Corrected <input type="checkbox"/> Partly Corrected <input type="checkbox"/> Not Corrected
<p>94(a)-(b) Interior and exterior doors that open directly into a stairway and are used for exit doors, resident areas and fire exits must have a landing, which is a minimum of 3 feet by 3 feet. Interior stairs, exterior steps and ramps must have nonskid surfaces.</p>		<input checked="" type="checkbox"/> N/A - No Violation <input type="checkbox"/> Fully Corrected <input type="checkbox"/> Partly Corrected <input type="checkbox"/> Not Corrected
<p>95 Furniture and equipment must be in good repair, clean and free of hazards.</p>		<input checked="" type="checkbox"/> N/A - No Violation <input type="checkbox"/> Fully Corrected <input type="checkbox"/> Partly Corrected <input type="checkbox"/> Not Corrected
<p>98(b) The home shall have at least one furnished living room or lounge area for residents, their families and visitors. The combined living room or lounge areas shall accommodate all residents at one time. These rooms or areas shall contain tables, chairs and lighting to accommodate the residents, their families and visitors.</p>		<input checked="" type="checkbox"/> N/A - No Violation <input type="checkbox"/> Fully Corrected <input type="checkbox"/> Partly Corrected <input type="checkbox"/> Not Corrected

Regulation- 55 Pa. Code Ch. 2600	Violation and Corrective Action, if Applicable	Corrective Action Status, if Violation was Found (Select)
<p>101(a)-(r) Each single bedroom must have at least 80 square feet of floor space measured wall to wall, including space occupied by furniture. Each shared bedroom must have at least 60 square feet of floor space per resident measured wall to wall, including space occupied by furniture. Each bedroom for one or more residents with a mobility need must have at least 100 square feet per resident, to allow for easy passage between beds and other furniture, and for comfortable use of a resident's assistive devices, including wheelchairs, walkers, special furniture or oxygen equipment. This requirement does not apply if there is a medical order from the attending physician that states the resident can maneuver without the necessity of the additional space. A legal entity with a personal care home license for the home as of October 24, 2005, that has one or more bedrooms serving a resident with physical mobility needs as of October 24, 2005, shall be exempt from the requirements specified in this subsection for the bedroom. If a bedroom is exempt in accordance with this subsection, additional square footage may be required sufficient to accommodate the assistive devices of the resident with mobility needs. No more than four residents may share a bedroom. Ceiling height in each bedroom must be an average of at least 7 feet. Each bedroom must have a window with direct exposure to natural light. A resident's bedroom shall be used only by the occupying resident and not for activities common to other residents. A resident shall be able to access toilet, hand washing and bathing facilities without having to pass through another resident's bedroom. A resident shall have access to his bedroom at all times. Each resident shall have the following in the bedroom: (1) A bed with a solid foundation and fire retardant mattress that is in good repair, clean and supports the resident. A legal entity with a personal care home license for the home as of October 24, 2005, shall be exempt from the requirement for a fire retardant mattress. (2) A chair for each resident that meets the resident's needs. (3) Pillows, bed linens and blankets that are clean and in good repair. (4) A storage area for clothing that includes a chest of drawers and a closet or wardrobe space with clothing racks or shelves accessible to the resident. (5) A bedside table or a shelf. (6) A mirror.</p>		<input checked="" type="checkbox"/> N/A - No Violation <input type="checkbox"/> Fully Corrected <input type="checkbox"/> Partly Corrected <input type="checkbox"/> Not Corrected

Regulation- 55 Pa.Code Ch. 2600	Violation and Corrective Action, if Applicable	Corrective Action Status, if Violation was Found (Select)
<p>(7) An operable lamp or other source of lighting that can be turned on at bedside.</p> <p>(8) If a resident shares a bedroom with other residents, the items specified in paragraphs (4)—(7) may be shared with one other resident.</p> <p>Cots and portable beds are prohibited.</p> <p>Bunk beds or other raised beds that require residents to climb steps or ladders to get into or out of bed are prohibited.</p> <p>A bedroom may not be used as a exit from or used as a passageway to another part of the home unless in an emergency situation.</p> <p>A resident may not be required to share a bedroom with an individual of the opposite sex.</p> <p>The bedrooms must have walls, floors and ceilings, which are finished, clean and in good repair.</p> <p>There must be doors on the bedrooms.</p> <p>Space for storage of personal property shall be provided in a dry, protected area.</p> <p>There must be drapes, shades, curtains, blinds or shutters on the bedroom windows. Window coverings must be clean, in good repair, provide privacy and cover the entire window when drawn.</p>		
<p>102(a)-(e), (h)-(i)</p> <p>There shall be at least one functioning flush toilet for every six or fewer users, including residents, staff persons and household members.</p> <p>There shall be at least one sink and wall mirror for every six or fewer users including residents, staff persons and household members.</p> <p>There shall be at least one bathtub or shower for every ten or fewer users, including residents, staff persons and household members.</p> <p>Toilet and bath areas must have grab bars, hand rails or assist bars.</p> <p>Bathtubs and showers must have slip-resistant surfaces.</p> <p>Privacy shall be provided for toilets, showers and bathtubs by partitions or doors.</p> <p>Toilet paper shall be provided for every toilet.</p> <p>A dispenser with soap shall be provided within reach of each bathroom sink. Bar soap is not permitted unless there is a separate bar clearly labeled for each resident who shares a bathroom.</p>		<p><input checked="" type="checkbox"/> N/A - No Violation</p> <p><input type="checkbox"/> Fully Corrected</p> <p><input type="checkbox"/> Partly Corrected</p> <p><input type="checkbox"/> Not Corrected</p>

Regulation- 55 Pa.Code Ch. 2600	Violation and Corrective Action, if Applicable	Corrective Action Status, if Violation was Found (Select)
<p>104(a) A dining room area shall be equipped with tables and chairs and able to accommodate the maximum number of residents scheduled for meals at any one time.</p>		<input checked="" type="checkbox"/> N/A - No Violation <input type="checkbox"/> Fully Corrected <input type="checkbox"/> Partly Corrected <input type="checkbox"/> Not Corrected
<p>121(a)-(b) Stairways, hallways, doorways, passageways and egress routes from rooms and from the building must be unlocked and unobstructed. Doors used for egress routes from rooms and from the building may not be equipped with key-locking devices, electronic card operated systems or other devices which prevent immediate egress of residents from the building, unless the home has written approval or a variance from the Department of Labor and Industry, the Department of Health or the appropriate local building authority.</p>		<input checked="" type="checkbox"/> N/A - No Violation <input type="checkbox"/> Fully Corrected <input type="checkbox"/> Partly Corrected <input type="checkbox"/> Not Corrected
<p>122 Unless otherwise regulated by the Department of Labor and Industry, the Department of Health or the appropriate local building authority, all buildings must have at least two independent and accessible exits from every floor, arranged to reduce the possibility that both will be blocked in an emergency situation.</p>		<input checked="" type="checkbox"/> N/A - No Violation <input type="checkbox"/> Fully Corrected <input type="checkbox"/> Partly Corrected <input type="checkbox"/> Not Corrected
<p>123(a)-(d) Exit doors must be equipped so that they can be easily opened by residents from the inside without the use of a key or other manual device that can be removed, misplaced or lost. Copies of the emergency procedures as specified in § 2600.107 (relating to emergency preparedness) shall be posted in a conspicuous and public place in the home and a copy shall be kept. For a home serving nine or more residents, an emergency evacuation diagram of each floor showing corridors, line of travel to exit doors and location of the fire extinguishers and pull signals shall be posted in a conspicuous and public place on each floor. If the home serves one or more residents with mobility needs above or below grade level of the home, there shall be a fire-safe area, as specified in writing within the past year by a fire safety expert, on the same floor as each resident with mobility needs.</p>		<input checked="" type="checkbox"/> N/A - No Violation <input type="checkbox"/> Fully Corrected <input type="checkbox"/> Partly Corrected <input type="checkbox"/> Not Corrected

Regulation- 55 Pa.Code Ch. 2600	Violation and Corrective Action, if Applicable	Corrective Action Status, if Violation was Found (Select)
<p>125(a)-(b) Combustible and flammable materials may not be located near heat sources or hot water heaters. Combustible materials shall be inaccessible to residents.</p>		<input checked="" type="checkbox"/> N/A - No Violation <input type="checkbox"/> Fully Corrected <input type="checkbox"/> Partly Corrected <input type="checkbox"/> Not Corrected
<p>127(a)-(b) Portable space heaters are prohibited. Nonportable space heaters must be well vented and installed with permanent connections and protectors.</p>		<input checked="" type="checkbox"/> N/A - No Violation <input type="checkbox"/> Fully Corrected <input type="checkbox"/> Partly Corrected <input type="checkbox"/> Not Corrected
<p>128(a)-(c) The use of kerosene burning heaters is prohibited. Wood and coal burning stoves shall be used only if a local fire department or other municipal fire safety authority, professional cleaning company or trained maintenance staff person inspects and approves them annually. Wood and coal burning stoves that are used as a regular heating source shall be cleaned every year according to the manufacturer's instructions. Documentation of wood and coal burning stove inspections and cleanings shall be kept. Wood and coal burning stoves must be securely screened or equipped with protective guards while in use.</p>		<input checked="" type="checkbox"/> N/A - No Violation <input type="checkbox"/> Fully Corrected <input type="checkbox"/> Partly Corrected <input type="checkbox"/> Not Corrected
<p>129(a)-(b) A fireplace must be securely screened or equipped with protective guards while in use. A fireplace chimney and flue shall be cleaned when there is an accumulation of creosote. Written documentation of the cleaning shall be kept.</p>		<input checked="" type="checkbox"/> N/A - No Violation <input type="checkbox"/> Fully Corrected <input type="checkbox"/> Partly Corrected <input type="checkbox"/> Not Corrected
<p>130(a)-(d),(i) There shall be an operable automatic smoke detector located within 15 feet of each bedroom door. The smoke detectors specified in subsection (a) shall be located in hallways. Smoke detectors and fire alarms must be of a type approved by the Department of Labor and Industry, the appropriate local building authority or local fire safety expert, or listed by Underwriters Laboratories.</p>		<input checked="" type="checkbox"/> N/A - No Violation <input type="checkbox"/> Fully Corrected <input type="checkbox"/> Partly Corrected <input type="checkbox"/> Not Corrected

Regulation- 55 Pa.Code Ch. 2600	Violation and Corrective Action, if Applicable	Corrective Action Status, if Violation was Found (Select)
<p>If the home serves nine or more residents, there shall be at least one smoke detector on each floor interconnected and audible throughout the home or an automatic fire alarm system that is interconnected and audible throughout the home.</p> <p>In homes housing five or more residents with mobility needs, the fire alarm system shall be directly connected to the local fire department or 24-hour monitoring service approved by the local fire department, if this service is available in the community.</p>		
<p>131(a)-(f)</p> <p>There shall be at least one operable fire extinguisher with a minimum 2-A rating for each floor, including the basement and attic.</p> <p>If the indoor floor area on a floor including the basement or attic is more than 3,000 square feet, there shall be an additional fire extinguisher with a minimum 2-A rating for each additional 3,000 square feet of indoor floor space.</p> <p>A fire extinguisher with a minimum 2A-10BC rating shall be located in each kitchen. The kitchen extinguisher must meet the requirements for one floor as required in subsection (a).</p> <p>Fire extinguishers must be listed by Underwriters Laboratories or approved by Factory Mutual Systems.</p> <p>Fire extinguishers shall be accessible to staff persons. Fire extinguishers shall be kept locked if access to the extinguisher by a resident could cause a safety risk to the resident. If fire extinguishers are kept locked, each staff person shall be able to immediately unlock the fire extinguisher in the event of a fire emergency.</p> <p>Fire extinguishers shall be inspected and approved annually by a fire safety expert. The date of the inspection shall be on the extinguisher.</p>		<p><input checked="" type="checkbox"/> N/A - No Violation</p> <p><input type="checkbox"/> Fully Corrected</p> <p><input type="checkbox"/> Partly Corrected</p> <p><input type="checkbox"/> Not Corrected</p>
<p>133</p> <p>The following requirements apply for a home serving nine or more residents:</p> <p>(1) Signs bearing the word "EXIT" in plain legible letters shall be placed at all exits.</p> <p>(2) If the exit or way to reach the exit is not immediately visible, access to exits shall be marked with readily visible signs indicating the direction to travel.</p> <p>(3) Exit sign letters must be at least 6 inches in height with the principal strokes of letters at least 3/4 inch wide.</p>		<p><input checked="" type="checkbox"/> N/A - No Violation</p> <p><input type="checkbox"/> Fully Corrected</p> <p><input type="checkbox"/> Partly Corrected</p> <p><input type="checkbox"/> Not Corrected</p>

Declaration

By signing below, I swear that the above information is true and correct, that the agency is responsible for compliance with all applicable statutes and regulations, including but not limited to Article X of the Public Welfare Code, 62 P.S. § 1001 et seq. and 55 Pa. Code § 20.1 et seq., and that knowingly providing inaccurate information may lead to enforcement action up to and including revocation of the agency's license to operate

Karen L. Miller

Karen L. Miller

10-30-14

Signature of Legal Entity Representative

Printed Name of Legal Entity Representative

Date Signed