



Sent via e-mail [tmartin@acadiarehab.com; nhaile@acadiarehab.com]

MAILING DATE: April 8, 2020

Ms. Tamara Martin  
Director  
Acadia Acquisition, Inc.  
1817 Old Homestead Lane, Suite 201  
Lancaster, Pennsylvania 17601

RE: Acadia Acquisition 4  
950 Bentley Ridge Boulevard  
Lancaster, Pennsylvania 17602  
Certificate #: 331450

Dear Ms. Martin:

As a result of the Pennsylvania Department of Human Services, Bureau of Human Services Licensing, (Office of Long-term Living) review on December 9 and 10, 2019 of the above facility, we have determined that your submitted plan of correction is fully implemented. Continued compliance must be maintained.

Sincerely,

*Gloria Emick*

Gloria Emick  
Human Services Licensing Supervisor

Enclosure  
Licensing Inspection Summary

# Violation Report

## Facility Information

Name: ACADIA ACQUISITION 4

License Number: 33145

Address: 950 BENTLEY RIDGE BOULEVARD,, LANCASTER, PA 17602

County: LANCASTER

Region: CENTRAL

## Administrator

Name: Nathaniel Haile

Phone: 7172083229

Email:

## Legal Entity

Name: ACADIA ACQUISITION INC

Address: 1817 OLDE HOMESTEAD LANE,STE201, LANCASTER, PA, 17601

## Certificate(s) of Occupancy

Type: Other

Date: 09/04/2012

Issued By: East Lampeter Twp

## Staffing Hours

Resident Support Staff: 0

Total Daily Staff: 8

Waking Staff: 6

## Inspection

Type: Full

BHA Docket #:

Notice: Unannounced

Reason: Renewal

## Inspection Dates and Department Representative

12/09/2019 - On-Site: Kellie Cargile, Michael Palermo

12/10/2019 - On-Site: Kellie Cargile, Michael Palermo

## Resident Demographic Data as of Inspection Dates

### General Information

License Capacity: 8

Residents Served: 8

### Secured Dementia Care Unit

In Home: No

Area:

Capacity:

Residents Served:

### Hospice

Current Residents: 0

### Number of Residents Who:

Receive Supplemental Security Income: 8

Are 60 Years of Age or Older: 1

Diagnosed with Mental Illness: 2

Diagnosed with Intellectual Disability: 0

Have Mobility Need: 0

Have Physical Disability: 8

171b5 - First Aid Kit

Regulations

2600.

171.b. The following requirements apply whenever staff persons or volunteers of the home provide transportation for the resident:

5. The vehicle must have a first aid kit with the contents as specified in § 2600.96 (relating to first aid kit).

Description of Violation

The first aid kit in the Subaru, used to transport residents, does not include a thermometer, breathing shield, bandages, gloves and protective eye coverings.

Plan of Correction (POC)

(Attach pages as necessary. Remember that you must sign and date any attached pages. Include steps to correct the violation described above and steps to prevent a similar violation from occurring again. If steps cannot be completed immediately, include dates by which the steps will be completed.)

See Attached Page 2A of 2

Legal Entity Representative

*Nathaniel Haile*  
Signature

Nathaniel Haile  
Printed Name and Title

01/10/2020  
Date

DEPARTMENT USE ONLY - HOMES MAY NOT WRITE IN THIS BOX!

The above plan of correction is approved as of 4/8/20  
(Date)

Plan of correction implementation status as of 4/8/20  
(Date)

The above plan of correction was approved by GE  
(Initials)

Implemented  
 Not Implemented

Nathanael Haile  
950 Bentely Ridge Blvd  
Lancaster, Pa 17603  
(717) 475-8944

10 January 2020

RE: Acadia Acquisition 4, Inspection Report

To whom this may concern,

Attached is the plan of correction for Acadia Acquisition License number: 331440

1. Regulation 2600. 171 (b) The vehicle must have a first aid kit with the contents as specified in 2600.96 (relating to first aid kit).

Personal Responsible	Action Step	Target Due
Administrator	Immediately: The administrator added all missing items from first aid kit.	December 10, 2019
Administrator/Assistant Supervisor	Administrator and assistant supervisor will ensure all items are in first aid kit when completing monthly vehicle inspection.	January 31, 2020
Administrator	Administrator has updated monthly inspection form which now includes each item that are required per regulation.	January 2, 2020

