

Department of Human Services
Bureau of Human Service Licensing

July 2, 2020

REDSTONE PRESBYTERIAN SENIORCARE
6 GARDEN CENTER DRIVE
GREENSBURG, PA, 15601

RE: REDSTONE HIGHLANDS
4 GARDEN CENTER DRIVE
GREENSBURG, PA, 15601
LICENSE/COC#: 44336

Dear Ms. Hoffman,

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 06/23/2020 of the above facility, no regulatory citations have been identified as a result of this inspection.

Sincerely,
Jon Kimberland

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

**Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC**

Facility Information

Name: REDSTONE HIGHLANDS License #: 44336 License Expiration Date: 06/28/2020
Address: 4 GARDEN CENTER DRIVE, GREENSBURG, PA 15601
County: WESTMORELAND Region: WESTERN

Administrator

Name: Michelle Hoffman Phone: 7248328400 Email: mihoffman@redstone.org

Legal Entity

Name: REDSTONE PRESBYTERIAN SENIORCARE
Address: 6 GARDEN CENTER DRIVE, GREENSBURG, PA, 15601
Phone: 7248328400 Email: MIHOFFMAN@REDSTONE.ORG

Certificate(s) of Occupancy

Type: C-2 LP Date: 12/05/1995 Issued By: L & I

Staffing Hours

Resident Support Staff: Total Daily Staff: 58 Waking Staff: 44

Inspection

Type: Partial Notice: Unannounced BHA Docket #:
Reason: Incident Exit Conference Date: 06/23/2020

Inspection Dates and Department Representative

06/23/2020 - On-Site: Karen Georgoulis

Resident Demographic Data as of Inspection Dates

General Information

License Capacity: 61 Residents Served: 45

Secured Dementia Care Unit

In Home: No Area: Capacity: Residents Served:

Hospice

Current Residents: 6

Number of Residents Who:

Receive Supplemental Security Income: 0 Are 60 Years of Age or Older: 45
Diagnosed with Mental Illness: 0 Diagnosed with Intellectual Disability: 0
Have Mobility Need: 13 Have Physical Disability: 1

Inspections / Reviews

06/23/2020 - Partial

Lead Inspector: Karen Georgoulis Follow-Up Type: Not Required

No Deficiencies Identified