

Department of Human Services
Bureau of Human Service Licensing

July 26, 2021

[REDACTED] ADMINISTRATOR
EAGLE VIEW PERSONAL CARE HOME LLC
PO BOX 506
MILESBURG, PA 16853

RE: EAGLE VIEW PERSONAL CARE
HOME
150 JACK PINE LANE
BELLEFONTE, PA, 16823
LICENSE/COC#: 23243

Dear [REDACTED]

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 07/13/2021 of the above facility, no regulatory citations have been identified as a result of this inspection.

Sincerely,
Anne Graziano

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

**Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY**

Facility Information

Name: EAGLE VIEW PERSONAL CARE HOME **License #:** 23243 **License Expiration Date:** 07/28/2022
Address: 150 JACK PINE LANE, BELLEFONTE, PA 16823
County: CENTRE **Region:** NORTHEAST

Administrator

Name: [REDACTED] **Phone:** 8142803995 **Email:** [REDACTED]

Legal Entity

Name: EAGLE VIEW PERSONAL CARE HOME LLC
Address: PO BOX 506, MILESBURG, PA, 16853
Phone: 8142803995 **Email:** [REDACTED]

Certificate(s) of Occupancy

Type: R-3 **Date:** 12/05/2016 **Issued By:** Williams Inspection Service

Staffing Hours

Resident Support Staff: 0 **Total Daily Staff:** 4 **Waking Staff:** 3

Inspection

Type: Full **Notice:** Unannounced **BHA Docket #:**
Reason: Renewal **Exit Conference Date:** 07/13/2021

Inspection Dates and Department Representative

07/13/2021 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information

License Capacity: 4 **Residents Served:** 4

Secured Dementia Care Unit

In Home: No **Area:** **Capacity:** **Residents Served:**

Hospice

Current Resident: 0

Number of Residents Who:

Receive Supplemental Security Income: 3 **Are 60 Years of Age or Older:** 2
Diagnosed with Mental Illness: 4 **Diagnosed with Intellectual Disability:** 0
Have Mobility Need: 0 **Have Physical Disability:** 0

Inspections / Reviews

07/13/2021 - Full

Lead Inspector: [REDACTED]

Follow Up Type: *Not Required*

No Deficiencies Identified