

Department of Human Services
Bureau of Human Service Licensing

December 13, 2021

[REDACTED]
CHRIST THE KING MANOR INC
[REDACTED]

RE: CHRIST THE KING MANOR
1100 WEST LONG AVENUE
DUBOIS, PA, 15801
LICENSE/COC#: 44864

Dear [REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 12/08/2021, 12/09/2021 of the above facility, no regulatory citations have been identified as a result of this inspection.

Sincerely,
Suzy Quinn

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

Facility Information

Name: *CHRIST THE KING MANOR* License #: *44864* License Expiration: *06/20/2022*
Address: *1100 WEST LONG AVENUE, DUBOIS, PA 15801*
County: *CLEARFIELD* Region: *WESTERN*

Administrator

Name: [REDACTED] Phone: *8143713180 EXT158* Email: [REDACTED]

Legal Entity

Name: *CHRIST THE KING MANOR INC*
Address: [REDACTED]
Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Staffing Hours

Resident Support Staff: *0* Total Daily Staff: *54* Waking Staff: *41*

Inspection Information

Type: *Partial* Notice: *Unannounced* BHA Docket #:
Reason: *Complaint* Exit Conference Date: *12/09/2021*

Inspection Dates and Department Representative

12/08/2021 - Off-Site: [REDACTED]

12/09/2021 - Off-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information

License Capacity: *60* Residents Served: *38*

Secured Dementia Care Unit

In Home: *Yes* Area: *Secure Unit* Capacity: *20* Residents Served: *16*

Hospice

Current Residents: *1*

Number of Residents Who:

Receive Supplemental Security Income: *2* Are 60 Years of Age or Older: *54*
Diagnosed with Mental Illness: *0* Diagnosed with Intellectual Disability: *0*
Have Mobility Need: *16* Have Physical Disability: *0*

Inspections / Reviews

12/08/2021 - *Partial*

Lead Inspector: [REDACTED] Follow-Up Type: *Not Required*

NO DEFICIENCIES FOUND