

Department of Human Services
Bureau of Human Service Licensing

July 20, 2022

[REDACTED]
THE ATRIUM OF ALLENTOWN LLC
[REDACTED]
[REDACTED]

RE: THE ATRIUM OF ALLENTOWN
5767 CETRONIA ROAD
ALLENTOWN, PA, 18106
LICENSE/COC#: 23050

Dear [REDACTED]

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 04/27/2022 of the above facility, no regulatory citations have been identified as a result of this inspection.

Sincerely,

[REDACTED]
Human Services Licensing Supervisor

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY

Facility Information

Name: *THE ATRIUM OF ALLENTOWN* License #: *23050* License Expiration: *12/09/2022*
Address: *5767 CETRONIA ROAD, ALLENTOWN, PA 18106*
County: *LEHIGH* Region: *NORTHEAST*

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: *THE ATRIUM OF ALLENTOWN LLC*
Address: [REDACTED]
Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Type: *I-2* Date: *10/02/2020* Issued By: *Upper Macungie Twp.*

Staffing Hours

Resident Support Staff: *0* Total Daily Staff: *2* Working Staff: *2*

Inspection Information

Type: *Partial* Notice: *Unannounced* BHA Docket #: [REDACTED]
Reason: *Interim* Exit Conference Date: *04/27/2022*

Inspection Dates and Department Representative

04/27/2022 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information

License Capacity: *80* Residents Served: *2*

Secured Dementia Care Unit

In Home: *Yes* Area: *first floor* Capacity: *30* Residents Served: *0*

Hospice

Current Residents: *0*

Number of Residents Who:

Receive Supplemental Security Income: *0* Are 60 Years of Age or Older: *2*
Diagnosed with Mental Illness: *0* Diagnosed with Intellectual Disability: *0*
Have Mobility Need: *0* Have Physical Disability: *0*

Inspections / Reviews

04/27/2022 - Partial

Lead Inspector: [REDACTED]

Follow-Up Type: *Not Required*

NO DEFICIENCIES FOUND