

Department of Human Services
Bureau of Human Service Licensing

May 18, 2022

[REDACTED]
LYTLES PERSONAL CARE HOME LLC
4508 NATIONAL PIKE
MARKLEYSBURG, PA, 15459

RE: LYTLE'S PERSONAL CARE HOME LLC
4508 NATIONAL PIKE
MARKLEYSBURG, PA, 15459
LICENSE/COC#: 44391

Dear [REDACTED]

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 05/10/2022 of the above facility, no regulatory citations have been identified as a result of this inspection.

Sincerely,
Jon Kimberland

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

Facility Information

Name: *LYTLE'S PERSONAL CARE HOME LLC* License #: *44391* License Expiration: *03/07/2023*
Address: *4508 NATIONAL PIKE, MARKLEYSBURG, PA 15459*
County: *FAYETTE* Region: *WESTERN*

Administrator

Name: [REDACTED] Phone: *7243291020* Email: [REDACTED]

Name: *LYTLES PERSONAL CARE HOME LLC*
Address: *4508 NATIONAL PIKE, MARKLEYSBURG, PA, 15459*
Phone: *8142790961* Email: [REDACTED]

Certificate(s) of Occupancy

Type: *C-2 LP* Date: *02/23/1994* Issued By: *Dept L&I*

Staffing Hours

Resident Support Staff: Total Daily Staff: *28* Waking Staff: *21*

Inspection Information

Type: *Partial* Notice: *Unannounced* BHA Docket #:
Reason: *Incident* Exit Conference Date: *05/10/2022*

Inspection Dates and Department Representative

05/10/2022 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information

License Capacity: *30* Residents Served: *27*

Secured Dementia Care Unit

In Home: *No* Area: Capacity: Residents Served:

Hospice

Current Residents: *2*

Number of Residents Who:

Receive Supplemental Security Income: *13* Are 60 Years of Age or Older: *22*
Diagnosed with Mental Illness: *12* Diagnosed with Intellectual Disability: *0*
Have Mobility Need: *1* Have Physical Disability: *0*

Inspections / Reviews

05/10/2022 - Partial

Lead Inspector: [REDACTED] Follow-Up Type: *Not Required*

NO DEFICIENCIES FOUND