

Department of Human Services
Bureau of Human Service Licensing

June 29, 2022

[REDACTED]
CARE HSL HARLEYSVILLE OPCO LP
[REDACTED]
[REDACTED]

RE: THE BIRCHES AT HARLEYSVILLE
691 MAIN STREET
HARLEYSVILLE, PA, 19438
LICENSE/COC#: 14266

Dear [REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 06/23/2022 of the above facility, no regulatory citations have been identified as a result of this inspection.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

Facility Information

Name: *THE BIRCHES AT HARLEYSVILLE* License #: 14266 License Expiration: 03/27/2023
Address: 691 MAIN STREET, HARLEYSVILLE, PA 19438
County: MONTGOMERY Region: SOUTHEAST

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: *CARE HSL HARLEYSVILLE OPCO LP*
Address: [REDACTED]
Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Type: *R-3* Date: *03/10/2009* Issued By: *Lower Salford Township*

Staffing Hours

Resident Support Staff: 0 Total Daily Staff: 90 Waking Staff: 68

Inspection Information

Type: *Partial* Notice: *Unannounced* BHA Docket #:
Reason: *Incident* Exit Conference Date: *06/23/2022*

Inspection Dates and Department Representative

06/23/2022 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information

License Capacity: 85 Residents Served: 63

Secured Dementia Care Unit

In Home: *Yes* Area: *Daybreak* Capacity: 25 Residents Served: 17

Hospice

Current Residents: 4

Number of Residents Who:

Receive Supplemental Security Income: 0 Are 60 Years of Age or Older: 62
Diagnosed with Mental Illness: 2 Diagnosed with Intellectual Disability: 0
Have Mobility Need: 27 Have Physical Disability: 27

Inspections / Reviews

06/23/2022 - Partial

Lead Inspector: [REDACTED] Follow-Up Type: *Not Required*

NO DEFICIENCIES FOUND