

Department of Human Services
Bureau of Human Service Licensing

August 4, 2022

[REDACTED]
PLYMOUTH MANOR PERSONAL CARE CENTER LLC
120 MARTZ MANOR
PLYMOUTH, PA, 18651

RE: PLYMOUTH MANOR PERSONAL
CARE CENTER
120 MARTZ MANOR
PLYMOUTH, PA, 18651
LICENSE/COC#: 22587

Dear [REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 07/21/2022 of the above facility, no regulatory citations have been identified as a result of this inspection.

Sincerely,
Anne Graziano

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY

Facility Information

Name: *PLYMOUTH MANOR PERSONAL CARE CENTER* License #: *22587* License Expiration: *03/10/2023*
Address: *120 MARTZ MANOR, PLYMOUTH, PA 18651*
County: *LUZERNE* Region: *NORTHEAST*

Administrator

Name: [REDACTED] Phone: *5707792730* Email: [REDACTED]

Legal Entity

Name: *PLYMOUTH MANOR PERSONAL CARE CENTER LLC*
Address: *120 MARTZ MANOR, PLYMOUTH, PA, 18651*
Phone: *5707792730* Email: [REDACTED]

Certificate(s) of Occupancy

Type: *C-2 LP* Date: *07/21/2011* Issued By: *Plymouth Borough*

Staffing Hours

Resident Support Staff: *0* Total Daily Staff: *34* Waking Staff: *26*

Inspection Information

Type: *Partial* Notice: *Unannounced* BHA Docket #:
Reason: *Complaint* Exit Conference Date: *07/21/2022*

Inspection Dates and Department Representative

07/21/2022 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information

License Capacity: *40* Residents Served: *34*

Secured Dementia Care Unit

In Home: *No* Area: Capacity: Residents Served:

Hospice

Current Residents: *0*

Number of Residents Who:

Receive Supplemental Security Income: *10* Are 60 Years of Age or Older: *31*
Diagnosed with Mental Illness: *12* Diagnosed with Intellectual Disability: *4*
Have Mobility Need: *0* Have Physical Disability: *3*

Inspections / Reviews

07/21/2022 - Partial
Lead Inspector: [REDACTED] Follow-Up Type: *Not Required*

NO DEFICIENCIES FOUND