

Department of Human Services
Bureau of Human Service Licensing

August 8, 2022

[REDACTED]
MARIA JOSEPH MANOR INC
[REDACTED]
[REDACTED]

RE: NAZARETH MEMORY CENTER AT
MARIA JOSEPH
15 SCHOOLHOUSE ROAD
DANVILLE, PA, 17821
LICENSE/COC#: 21115

Dear [REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 07/27/2022 of the above facility, no regulatory citations have been identified as a result of this inspection.

Sincerely,
Michele Moskalczyk
Human Services Licensing Supervisor

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY

Facility Information

Name: NAZARETH MEMORY CENTER AT MARIA JOSEPH License #: 21115 License Expiration: 01/31/2023
Address: 15 SCHOOLHOUSE ROAD, DANVILLE, PA 17821
County: MONTOUR Region: NORTHEAST

Administrator

Name: [REDACTED] Phone: 5702758701 Email: [REDACTED]

Legal Entity

Name: MARIA JOSEPH MANOR INC
Address: 1707 MONTOUR BLVD., DANVILLE, PA, 17821
Phone: 5702758701 Email: [REDACTED]

Certificate(s) of Occupancy

Type: C-1 Date: 03/01/2003 Issued By: DOH

Staffing Hours

Resident Support Staff: 0 Total Daily Staff: 42 Waking Staff: 32

Inspection Information

Type: Partial Notice: Unannounced BHA Docket #:
Reason: Complaint Exit Conference Date: 07/27/2022

Inspection Dates and Department Representative

07/27/2022 - On-Site [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information

License Capacity: 24 Residents Served: 21

Secured Dementia Care Unit

In Home: Yes Area: 0 Capacity: 24 Residents Served: 21

Hospice

Current Residents: 0

Number of Residents Who:

Receive Supplemental Security Income: 0 Are 60 Years of Age or Older: 21
Diagnosed with Mental Illness: 0 Diagnosed with Intellectual Disability: 0
Have Mobility Need: 21 Have Physical Disability: 0

Inspections / Reviews

07/27/2022 - Partial

Lead Inspector: [REDACTED] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND