

Department of Human Services
Bureau of Human Service Licensing

August 15, 2022

[REDACTED]
PROVIDENCE PLACE OF POTTSVILLE ASSOCIATES
[REDACTED]

RE: PROVIDENCE PLACE OF POTTSVILLE
2200 FIRST AVENUE
POTTSVILLE, PA, 17901
LICENSE/COC#: 20397

Dear [REDACTED]

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 07/28/2022 of the above facility, no regulatory citations have been identified as a result of this inspection.

Sincerely,

[REDACTED]
Human Services Licensing Supervisor

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

**Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY**

Facility Information

Name: PROVIDENCE PLACE OF POTTSVILLE License #: 20397 License Expiration: 12/05/2022
Address: 2200 FIRST AVENUE, POTTSVILLE, PA 17901
County: SCHUYLKILL Region: NORTHEAST

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: PROVIDENCE PLACE OF POTTSVILLE ASSOCIATES
Address: [REDACTED]
Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Type: Other Date: 12/11/2013 Issued By: City of Pottsville

Staffing Hours

Resident Support Staff: 0 Total Daily Staff: 126 Waking Staff: 95

Inspection Information

Type: Partial Notice: Unannounced BHA Docket #:
Reason: Incident Exit Conference Date: 07/28/2022

Inspection Dates and Department Representative

07/28/2022 On Site [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information

License Capacity: 192 Residents Served: 103

Secured Dementia Care Unit

In Home: Yes Area: Connections Capacity: 54 Residents Served: 21

Hospice

Current Residents: 8

Number of Residents Who:

Receive Supplemental Security Income: 0 Are 60 Years of Age or Older: 103
Diagnosed with Mental Illness: 0 Diagnosed with Intellectual Disability: 0
Have Mobility Need: 23 Have Physical Disability: 0

Inspections / Reviews

07/28/2022 - Partial

Lead Inspector: [REDACTED] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND