

Department of Human Services
Bureau of Human Service Licensing

August 25, 2022

[REDACTED]
MOUNT TREXLER MANOR CORPORATION
5201 ST. JOSEPH RD, PO BOX 1001
LIMEPORT, PA, 18060

RE: MOUNT TREXLER MANOR
5201 ST. JOSEPH RD, PO BOX 1001
LIMEPORT, PA, 18060
LICENSE/COC#: 21663

Dear [REDACTED]

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 08/08/2022, 08/12/2022 of the above facility, no regulatory citations have been identified as a result of this inspection.

Sincerely,
Anne Graziano

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY

Facility Information

Name: MOUNT TREXLER MANOR License #: 21663 License Expiration: 07/02/2023
Address: 5201 ST. JOSEPH RD, PO BOX 1001, LIMEPORT, PA 18060
County: LEHIGH Region: NORTHEAST

Administrator

Name: [REDACTED] Phone: 6109659021 Email: [REDACTED]

Legal Entity

Name: MOUNT TREXLER MANOR CORPORATION
Address: 5201 ST. JOSEPH RD, PO BOX 1001, LIMEPORT, PA, 18060
Phone: 6109659021 Email: [REDACTED]

Certificate(s) of Occupancy

Type: C-1 Date: 06/22/1999 Issued By: Pa Dept. of L & I

Staffing Hours

Resident Support Staff: Total Daily Staff: 56 Waking Staff: 42

Inspection Information

Type: Partial Notice: Unannounced BHA Docket #:
Reason: Incident Exit Conference Date: 08/12/2022

Inspection Dates and Department Representative

08/08/2022 - Off-Site: [REDACTED]
08/12/2022 - Off-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information

License Capacity: 74 Residents Served: 56

Secured Dementia Care Unit

In Home: No Area: Capacity: Residents Served:

Hospice

Current Residents: 0

Number of Residents Who:

Receive Supplemental Security Income: 20 Are 60 Years of Age or Older: 16
Diagnosed with Mental Illness: 56 Diagnosed with Intellectual Disability: 4
Have Mobility Need: 0 Have Physical Disability: 0

Inspections / Reviews

08/08/2022 - Partial

Lead Inspector: [REDACTED]

Follow-Up Type: *Not Required*

NO DEFICIENCIES FOUND