

Department of Human Services
Bureau of Human Service Licensing

October 18, 2022

[REDACTED]
MOUNT TREXLER MANOR CORPORATION
5201 ST. JOSEPH'S ROAD
LIMESPORT, PA, 18060

RE: ACTION RECOVERY
5201 ST. JOSEPH'S ROAD
LIMESPORT, PA, 18060
LICENSE/COC#: 22687

Dear [REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 09/01/2022 of the above facility, no regulatory citations have been identified as a result of this inspection.

Sincerely,
Michele Moskalczyk
Human Services Licensing Supervisor

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY

Facility Information

Name: *ACTION RECOVERY* License #: *22687* License Expiration: *09/26/2023*
Address: *5201 ST. JOSEPH'S ROAD, LIMESPORT, PA 18060*
County: *LEHIGH* Region: *NORTHEAST*

Administrator

Name: [REDACTED] Phone: *6109659021* Email: [REDACTED]

Legal Entity

Name: *MOUNT TREXLER MANOR CORPORATION*
Address: *5201 ST. JOSEPH'S ROAD, LIMESPORT, PA, 18060*
Phone: *6109659021* Email: [REDACTED]

Certificate(s) of Occupancy

Type: *C-2 LP* Date: *06/22/1999* Issued By: *PA L&I*

Staffing Hours

Resident Support Staff: Total Daily Staff: *8* Waking Staff: *6*

Inspection Information

Type: *Partial* Notice: *Unannounced* BHA Docket #:
Reason: *Complaint, Incident* Exit Conference Date: *09/01/2022*

Inspection Dates and Department Representative

09/01/2022 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information

License Capacity: *8* Residents Served: *8*

Secured Dementia Care Unit

In Home: *No* Area: Capacity: Residents Served:

Hospice

Current Residents: *0*

Number of Residents Who:

Receive Supplemental Security Income: *8* Are 60 Years of Age or Older: *0*
Diagnosed with Mental Illness: *8* Diagnosed with Intellectual Disability: *0*
Have Mobility Need: *0* Have Physical Disability: *0*

Inspections / Reviews

09/01/2022 - Partial
Lead Inspector: [REDACTED] Follow-Up Type: *Not Required*

NO DEFICIENCIES FOUND