

Department of Human Services  
Bureau of Human Service Licensing

November 7, 2022

[REDACTED]

KEYSTONE HOSPICE  
8765 STENTON AVENUE  
WYNDMOOR, PA, 19038

RE: KEYSTONE HOSPICE  
8765 STENTON AVENUE  
WYNDMOOR, PA, 19038  
LICENSE/COC#: 12797

Dear [REDACTED]

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 11/01/2022, 11/04/2022 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,  
[REDACTED]

Enclosure  
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Department of Human Services  
Bureau of Human Service Licensing  
LICENSING INSPECTION SUMMARY - PUBLIC

Facility Information

Name: *KEYSTONE HOSPICE* License #: 12797 License Expiration: 06/11/2023  
Address: 8765 STENTON AVENUE, WYNDMOOR, PA 19038  
County: MONTGOMERY Region: SOUTHEAST

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: *KEYSTONE HOSPICE*  
Address: 8765 STENTON AVENUE, WYNDMOOR, PA, 19038  
Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Staffing Hours

Resident Support Staff: 0 Total Daily Staff: 8 Waking Staff: 6

Inspection Information

Type: *Partial* Notice: *Unannounced* BHA Docket #:  
Reason: *Complaint* Exit Conference Date: 11/01/2022

Inspection Dates and Department Representative

11/01/2022 - On-Site: [REDACTED]  
11/04/2022 - Off-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information

License Capacity: 20 Residents Served: 4

Secured Dementia Care Unit

In Home: *No* Area: Capacity: Residents Served:

Hospice

Current Residents: 4

Number of Residents Who:

Receive Supplemental Security Income: 0 Are 60 Years of Age or Older: 4  
Diagnosed with Mental Illness: 0 Diagnosed with Intellectual Disability: 0  
Have Mobility Need: 4 Have Physical Disability: 0

Inspections / Reviews

11/01/2022 - Partial

Lead Inspector: [REDACTED] Follow-Up Type: *Not Required*

NO DEFICIENCIES FOUND