

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

December 15, 2022

[REDACTED]
EMBASSY MERCER LLC
[REDACTED]
[REDACTED]

RE: THE LAKES AT JEFFERSON
7271 WEST MARKET STREET
MERCER, PA, 16137
LICENSE/COC#: 45151

Dear [REDACTED]

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 11/22/2022 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: *THE LAKES AT JEFFERSON* License #: *45151* License Expiration: *08/04/2023*
 Address: *7271 WEST MARKET STREET, MERCER, PA 16137*
 County: *MERCER* Region: *WESTERN*

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: *EMBASSY MERCER LLC*
 Address: [REDACTED]
 Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Type: *I-1* Date: *06/01/2017* Issued By: *Jefferson County*

Staffing Hours

Resident Support Staff: *0* Total Daily Staff: *56* Waking Staff: *42*

Inspection Information

Type: *Partial* Notice: *Unannounced* BHA Docket #:
 Reason: *Incident* Exit Conference Date: *11/22/2022*

Inspection Dates and Department Representative

11/22/2022 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information
 License Capacity: *69* Residents Served: *50*

Secured Dementia Care Unit
 In Home: *No* Area: Capacity: Residents Served:

Hospice
 Current Residents: *5*

Number of Residents Who:
 Receive Supplemental Security Income: *0* Are 60 Years of Age or Older: *50*
 Diagnosed with Mental Illness: *0* Diagnosed with Intellectual Disability: *2*
 Have Mobility Need: *6* Have Physical Disability: *0*

Inspections / Reviews

11/22/2022 - Partial
 Lead Inspector: [REDACTED] Follow-Up Type: *Not Required*

NO DEFICIENCIES FOUND