

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY PUBLIC

December 15, 2022

[REDACTED], MEMBER
SAYRE PERSONAL CARE CENTER 2 LLC
410 SPRUCE STREET, 4TH FLOOR
[REDACTED]
SCRANTON, PA, 18503

RE: SAYRE PERSONAL CARE RESIDENCE
201 KEEFER LANE
SAYRE, PA, 18840
LICENSE/COC#: 23077

Dear [REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 11/30/2022 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,

[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: SAYRE PERSONAL CARE RESIDENCE **License #:** 23077 **License Expiration:** 02/07/2023
Address: 201 KEEFER LANE, SAYRE, PA 18840
County: BRADFORD **Region:** NORTHEAST

Administrator

Name: [REDACTED] **Phone:** [REDACTED] **Email:** [REDACTED]

Legal Entity

Name: SAYRE PERSONAL CARE CENTER 2 LLC
Address: 410 SPRUCE STREET, 4TH FLOOR, [REDACTED], SCRANTON, PA, 18503
Phone: [REDACTED] **Email:** [REDACTED]

Certificate(s) of Occupancy

Staffing Hours

Resident Support Staff: 0 **Total Daily Staff:** 45 **Waking Staff:** 34

Inspection Information

Type: Partial **Notice:** Unannounced **BHA Docket #:**
Reason: Complaint **Exit Conference Date:** 11/30/2022

Inspection Dates and Department Representative

11/30/2022 On Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information
License Capacity: 90 **Residents Served:** 45
Secured Dementia Care Unit
In Home: No **Area:** **Capacity:** **Residents Served:**
Hospice
Current Residents: 0
Number of Residents Who:
Receive Supplemental Security Income: 0 **Are 60 Years of Age or Older:** 45
Diagnosed with Mental Illness: 0 **Diagnosed with Intellectual Disability:** 0
Have Mobility Need: 0 **Have Physical Disability:** 0

Inspections / Reviews

11/30/2022 - Partial
Lead Inspector: [REDACTED] **Follow Up Type:** Not Required

NO DEFICIENCIES FOUND