

Department of Human Services  
Bureau of Human Service Licensing  
LICENSING INSPECTION SUMMARY - PUBLIC

December 13, 2022

[REDACTED]  
RUTH M. SMITH CENTER  
407 SOUTH MAIN STREET  
[REDACTED]  
SHEFFIELD, PA, 16347

RE: RUTH M. SMITH CENTER  
407 SOUTH MAIN STREET  
BUILDING A  
SHEFFIELD, PA, 16347  
LICENSE/COC#: 44595

Dear [REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 12/08/2022 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,

[REDACTED]

Enclosure  
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

**Facility Information**

Name: RUTH M SMITH CENTER License #: 44595 License Expiration: 01/13/2024  
 Address: 407 SOUTH MAIN STREET, BUILDING A, SHEFFIELD, PA 16347  
 County: WARREN Region: WESTERN

**Administrator**

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]  
 Dir

**Legal Entity**

Name: RUTH M. SMITH CENTER  
 Address: 407 SOUTH MAIN STREET, [REDACTED], SHEFFIELD, PA, 16347  
 Phone: [REDACTED] Email: [REDACTED]

**Certificate(s) of Occupancy**

**Staffing Hours**

Resident Support Staff: 0 Total Daily Staff: 2 Waking Staff: 2

**Inspection Information**

Type: Partial Notice: Unannounced BHA Docket #:  
 Reason: Monitoring Exit Conference Date: 12/08/2022

**Inspection Dates and Department Representative**

12/08/2022 On Site [REDACTED]

**Resident Demographic Data as of Inspection Dates**

General Information  
 License Capacity: 10 Residents Served: 1  
 Secured Dementia Care Unit  
 In Home: No Area: Capacity: Residents Served:  
 Hospice  
 Current Residents: 0  
 Number of Residents Who:  
 Receive Supplemental Security Income: 8 Are 60 Years of Age or Older: 5  
 Diagnosed with Mental Illness: 10 Diagnosed with Intellectual Disability: 6  
 Have Mobility Need: 1 Have Physical Disability: 1

**Inspections / Reviews**

12/08/2022 - Partial  
 Lead Inspector: [REDACTED] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND