

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

January 4, 2023

[REDACTED]
PENNWOOD NURSING AND REHABILITATION CENTER LLC
909 WEST STREET
PITTSBURGH, PA, 15221

RE: PENNWOOD NURSING AND
REHABILITATION CENTER
909 WEST STREET
PITTSBURGH, PA, 15221
LICENSE/COC#: 45019

Dear [REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 12/22/2022 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: PENNWOOD NURSING AND REHABILITATION CENTER License #: 45019 License Expiration: 06/05/2023
Address: 909 WEST STREET, PITTSBURGH, PA 15221
County: ALLEGHENY Region: WESTERN

Administrator

Name: [Redacted] Phone: [Redacted] Email: [Redacted]

Legal Entity

Name: PENNWOOD NURSING AND REHABILITATION CENTER LLC
Address: 909 WEST STREET, PITTSBURGH, PA, 15221
Phone: [Redacted] Email: [Redacted]

Certificate(s) of Occupancy

Staffing Hours

Resident Support Staff: 0 Total Daily Staff: 10 Waking Staff: 8

Inspection Information

Type: Partial Notice: Unannounced BHA Docket #:
Reason: Provisional, Fine, Monitoring Exit Conference Date: 12/22/2022

Inspection Dates and Department Representative

12/22/2022 On Site [Redacted]

Resident Demographic Data as of Inspection Dates

General Information

License Capacity: 10 Residents Served: 10

Secured Dementia Care Unit

In Home: No Area: Capacity: Residents Served:

Hospice

Current Residents: 0

Number of Residents Who:

Receive Supplemental Security Income: 10 Are 60 Years of Age or Older: 7
Diagnosed with Mental Illness: 10 Diagnosed with Intellectual Disability: 2
Have Mobility Need: 0 Have Physical Disability: 0

Inspections / Reviews

12/22/2022 - Partial

Lead Inspector: [Redacted] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND