

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY PUBLIC

January 24, 2023

[REDACTED], CEO
HALCYON SENIOR LIVING LLC
528 DEWEY AVENUE
BRIDGEVILLE, PA, 15017

RE: HALCYON SENIOR LIVING
528 DEWEY AVENUE
BRIDGEVILLE, PA, 15017
LICENSE/COC#: 45109

Dear [REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 01/11/2023 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,

[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: HALCYON SENIOR LIVING **License #:** 45109 **License Expiration:** 08/31/2023
Address: 528 DEWEY AVENUE, BRIDGEVILLE, PA 15017
County: ALLEGHENY **Region:** WESTERN

Administrator

Name: [REDACTED] **Phone:** [REDACTED] **Email:** [REDACTED]

Legal Entity

Name: HALCYON SENIOR LIVING LLC
Address: 528 DEWEY AVENUE, BRIDGEVILLE, PA, 15017
Phone: [REDACTED] **Email:** [REDACTED]

Certificate(s) of Occupancy

Staffing Hours

Resident Support Staff: 0 **Total Daily Staff:** 79 **Waking Staff:** 59

Inspection Information

Type: Partial **Notice:** Unannounced **BHA Docket #:**
Reason: Complaint **Exit Conference Date:** 01/11/2023

Inspection Dates and Department Representative

01/11/2023 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information

License Capacity: 88 **Residents Served:** 55

Secured Dementia Care Unit

In Home: Yes **Area:** 2nd Floor **Capacity:** 44 **Residents Served:** 16

Hospice

Current Residents: 5

Number of Residents Who:

Receive Supplemental Security Income: 0 **Are 60 Years of Age or Older:** 54
Diagnosed with Mental Illness: 1 **Diagnosed with Intellectual Disability:** 1
Have Mobility Need: 24 **Have Physical Disability:** 0

Inspections / Reviews

01/11/2023 Partial

Lead Inspector: [REDACTED] **Follow-Up Type:** Not Required

NO DEFICIENCIES FOUND