

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

January 18, 2023

[REDACTED]
COUNTRY MEADOWS OF ALLENTOWN LLC
[REDACTED]
[REDACTED]

RE: COUNTRY MEADOWS OF
ALLENTOWN
430 NORTH KROCKS ROAD
BUILDING 1
ALLENTOWN, PA, 18106
LICENSE/COC#: 22693

Dear [REDACTED]

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 01/13/2023 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: COUNTRY MEADOWS OF ALLENTOWN License #: 22693 License Expiration: 08/31/2023
 Address: 430 NORTH KROCKS ROAD, BUILDING 1, ALLENTOWN, PA 18106
 County: LEHIGH Region: NORTHEAST

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: COUNTRY MEADOWS OF ALLENTOWN LLC
 Address: [REDACTED]
 Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Type: I-2 Date: 06/29/2010 Issued By: Pa. Dept. of L & I

Staffing Hours

Resident Support Staff: 65 Total Daily Staff: 163 Waking Staff: 122

Inspection Information

Type: Partial Notice: Unannounced BHA Docket #:
 Reason: Incident Exit Conference Date: 01/13/2023

Inspection Dates and Department Representative

01/13/2023 - Off-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information
 License Capacity: 118 Residents Served: 65

Secured Dementia Care Unit
 In Home: Yes Area: lower level Capacity: 60 Residents Served: 30

Hospice
 Current Residents: 4

Number of Residents Who:
 Receive Supplemental Security Income: 0 Are 60 Years of Age or Older: 65
 Diagnosed with Mental Illness: 0 Diagnosed with Intellectual Disability: 0
 Have Mobility Need: 33 Have Physical Disability: 1

Inspections / Reviews

01/13/2023 - Partial
 Lead Inspector: [REDACTED] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND