

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

January 30, 2023

[REDACTED], [REDACTED]
BERWYN REAL ESTATE LP
[REDACTED]
[REDACTED]

RE: DAYLESFORD CROSSING
1450 EAST LANCASTER AVENUE
PAOLI, PA, 19301
LICENSE/COC#: 14154

Dear [REDACTED]

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 01/23/2023 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: DAYLESFORD CROSSING License #: 14154 License Expiration: 07/20/2023
Address: 1450 EAST LANCASTER AVENUE, PAOLI, PA 19301
County: CHESTER Region: SOUTHEAST

Administrator

Name: Lakia Phone: Email:

Legal Entity

Name: BERWYN REAL ESTATE LP
Address: 1489 BALTIMORE PIKE, SUITE 245, SPRINGFIELD, PA, 19064
Phone: Email:

Certificate(s) of Occupancy

Type: I-2 Date: 08/05/2015 Issued By: tredyffrin Township

Staffing Hours

Resident Support Staff: 0 Total Daily Staff: 113 Waking Staff: 85

Inspection Information

Type: Partial Notice: Unannounced BHA Docket #:
Reason: Complaint, Incident Exit Conference Date: 01/23/2023

Inspection Dates and Department Representative

01/23/2023 - On-Site:

Resident Demographic Data as of Inspection Dates

General Information

License Capacity: 100 Residents Served: 72

Secured Dementia Care Unit

In Home: Yes Area: Connections Capacity: 24 Residents Served: 17

Hospice

Current Residents: 9

Number of Residents Who:

Receive Supplemental Security Income: 0 Are 60 Years of Age or Older: 72
Diagnosed with Mental Illness: 0 Diagnosed with Intellectual Disability: 0
Have Mobility Need: 41 Have Physical Disability: 0

Inspections / Reviews

01/23/2023 - Partial

Lead Inspector: Follow-Up Type: Not Required

NO DEFICIENCIES FOUND