

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY PUBLIC

February 13, 2023

[REDACTED], REGIONAL MANAGER
MAYBROOK-C EVERGREEN OPCO LLC
[REDACTED]

RE: THE GROVE AT HARMONY
191 EVERGREEN MILL ROAD
HARMONY, PA, 16037
LICENSE/COC#: 44757

Dear [REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 02/01/2023 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: THE GROVE AT HARMONY **License #:** 44757 **License Expiration:** 02/15/2023
Address: 191 EVERGREEN MILL ROAD, HARMONY, PA 16037
County: BUTLER **Region:** WESTERN

Administrator

Name: [REDACTED] **Phone:** [REDACTED] **Email:** NA

Legal Entity

Name: MAYBROOK-C EVERGREEN OPCO LLC
Address: [REDACTED]

Certificate(s) of Occupancy

Type: C-2 LP **Date:** 11/16/1988 **Issued By:** Dept L & I

Staffing Hours

Resident Support Staff: 0 **Total Daily Staff:** 6 **Waking Staff:** 5

Inspection Information

Type: Partial **Notice:** Unannounced **BHA Docket #:**
Reason: Incident **Exit Conference Date:** 02/01/2023

Inspection Dates and Department Representative

02/01/2023 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information

License Capacity: 44 **Residents Served:** 5

Secured Dementia Care Unit

In Home: No **Area:** **Capacity:** **Residents Served:**

Hospice

Current Residents: 0

Number of Residents Who:

Receive Supplemental Security Income: 1 **Are 60 Years of Age or Older:** 4
Diagnosed with Mental Illness: 2 **Diagnosed with Intellectual Disability:** 0
Have Mobility Need: 1 **Have Physical Disability:** 0

Inspections / Reviews

02/01/2023 Partial

Lead Inspector: [REDACTED] **Follow-Up Type:** Not Required

NO DEFICIENCIES FOUND