

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

February 21, 2023

[REDACTED]
CA SENIOR MCCANDLESS II OPERATOR LLC
8651 CAREY LANE
PITTSBURGH, PA, 15237

RE: ANTHOLOGY OF MCCANDLESS
8651 CAREY LANE
PITTSBURGH, PA, 15237
LICENSE/COC#: 44998

Dear [REDACTED]

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 02/09/2023 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: ANTHOLOGY OF MCCANDLESS License #: 44998 License Expiration: 04/11/2023
Address: 8651 CAREY LANE, PITTSBURGH, PA 15237
County: ALLEGHENY Region: WESTERN

Administrator

Name: [Redacted] Phone: [Redacted] Email: [Redacted]

Legal Entity

Name: CA SENIOR MCCANDLESS II OPERATOR LLC
Address: 8651 CAREY LANE, PITTSBURGH, PA, 15237
Phone: [Redacted] Email: [Redacted]

Certificate(s) of Occupancy

Staffing Hours

Resident Support Staff: 0 Total Daily Staff: 130 Waking Staff: 98

Inspection Information

Type: Partial Notice: Unannounced BHA Docket #:
Reason: Provisional, Incident Exit Conference Date: 02/09/2023

Inspection Dates and Department Representative

02/09/2023 - On-Site: [Redacted]

Resident Demographic Data as of Inspection Dates

General Information

License Capacity: 120 Residents Served: 91

Secured Dementia Care Unit

In Home: Yes Area: 4th floor Capacity: 38 Residents Served: 33

Hospice

Current Residents: 8

Number of Residents Who:

Receive Supplemental Security Income: 0 Are 60 Years of Age or Older: 91
Diagnosed with Mental Illness: 1 Diagnosed with Intellectual Disability: 0
Have Mobility Need: 39 Have Physical Disability: 0

Inspections / Reviews

02/09/2023 - Partial

Lead Inspector: [Redacted] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND