

Department of Human Services  
Bureau of Human Service Licensing  
LICENSING INSPECTION SUMMARY - PUBLIC

June 9, 2023

[REDACTED], ADMINISTRATOR  
LAURELS SENIOR LIVING INC  
23 FAITH DRIVE  
HAZLETON, PA, 18202

RE: THE LAURELS  
23 FAITH DRIVE  
HAZLETON, PA, 18202  
LICENSE/COC#: 21117

Dear [REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 02/16/2023, 02/17/2023 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,  
[REDACTED]

Enclosure  
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

**Facility Information**

Name: THE LAURELS License #: 21117 License Expiration: 01/13/2024  
 Address: 23 FAITH DRIVE, HAZLETON, PA 18202  
 County: LUZERNE Region: NORTHEAST

**Administrator**

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

**Legal Entity**

Name: LAURELS SENIOR LIVING INC  
 Address: [REDACTED]  
 Phone: [REDACTED] Email: [REDACTED]

**Certificate(s) of Occupancy**

**Staffing Hours**

Resident Support Staff: Total Daily Staff: 90 Waking Staff: 68

**Inspection Information**

Type: Partial Notice: Unannounced BHA Docket #:  
 Reason: Incident Exit Conference Date: 02/17/2023

**Inspection Dates and Department Representative**

02/16/2023 - On-Site: [REDACTED]  
 02/17/2023 - Off-Site: [REDACTED]

**Resident Demographic Data as of Inspection Dates**

General Information  
 License Capacity: 100 Resident Served: 84  
 Secured Dementia Care Unit  
 In Home: No Area: Capacity: Resident Served:  
 Hospice  
 Current Resident : 5  
 Number of Residents Who:  
 Receive Supplemental Security Income: 0 Are 60 Years of Age or Older: 84  
 Diagnosed with Mental Illness: 0 Diagnosed with Intellectual Disability: 0  
 Have Mobility Need: 6 Have Physical Disability: 0

**Inspections / Reviews**

02/16/2023 Partial  
 Lead Inspector: [REDACTED] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND