

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

March 3, 2023

[REDACTED]
WELLTOWER OPCO GROUP LLC
[REDACTED]
[REDACTED]

RE: SUNRISE OF MCCANDLESS
900 LINCOLN CLUB DRIVE
PITTSBURGH, PA, 15237
LICENSE/COC#: 44880

Dear [REDACTED]

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 03/02/2023 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: *SUNRISE OF MCCANDLESS* License #: *44880* License Expiration: *12/15/2023*
 Address: *900 LINCOLN CLUB DRIVE, PITTSBURGH, PA 15237*
 County: *ALLEGHENY* Region: *WESTERN*

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: *WELLTOWER OPCO GROUP LLC*
 Address: *7902 WESTPARK DRIVE, ATTN LICENSING, MCLEAN, VA, 22102*
 Phone: *4124411241* Email: *Mccandless.ED@sunriseseniorliving.com*>

Certificate(s) of Occupancy

Type: *C-1* Date: *04/03/2067* Issued By: *L&I*

Staffing Hours

Resident Support Staff: *0* Total Daily Staff: *119* Waking Staff: *89*

Inspection Information

Type: *Partial* Notice: *Unannounced* BHA Docket #:
 Reason: *Complaint* Exit Conference Date: *03/02/2023*

Inspection Dates and Department Representative

03/02/2023 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information
 License Capacity: *153* Residents Served: *72*

Secured Dementia Care Unit
 In Home: *Yes* Area: *Reminiscence* Capacity: *40* Residents Served: *18*

Hospice
 Current Residents: *16*

Number of Residents Who:
 Receive Supplemental Security Income: *0* Are 60 Years of Age or Older: *72*
 Diagnosed with Mental Illness: *0* Diagnosed with Intellectual Disability: *0*
 Have Mobility Need: *47* Have Physical Disability: *0*

Inspections / Reviews

03/02/2023 - Partial
 Lead Inspector: [REDACTED] Follow-Up Type: *Not Required*

NO DEFICIENCIES FOUND