

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY PUBLIC

March 8, 2023

[REDACTED], ADMINISTRATOR
MANOR CARE LINDEN VILLAGE OF LEBANON PA LLC
[REDACTED]

RE: LINDEN VILLAGE
100 TUCK STREET
LEBANON, PA, 17042
LICENSE/COC#: 32427

Dear [REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 03/06/2023 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED] gov

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: LINDEN VILLAGE License #: 32427 License Expiration: 06/20/2023
Address: 100 TUCK STREET, LEBANON, PA 17042
County: LEBANON Region: CENTRAL

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: MANOR CARE LINDEN VILLAGE OF LEBANON PA LLC
Address: [REDACTED]
Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Type: C-2 LP Date: 10/01/1998 Issued By: L&I

Staffing Hours

Resident Support Staff: 0 Total Daily Staff: 70 Waking Staff: 53

Inspection Information

Type: Partial Notice: Unannounced BHA Docket #:
Reason: Incident Exit Conference Date: 03/06/2023

Inspection Dates and Department Representative

03/06/2023 - On [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information			
License Capacity: 64	Residents Served: 38		
Secured Dementia Care Unit			
In Home: Yes	Area: Cottages	Capacity: 48	Residents Served: 31
Hospice			
Current Residents: 2			
Number of Residents Who:			
Receive Supplemental Security Income: 0	Are 60 Years of Age or Older: 37		
Diagnosed with Mental Illness: 0	Diagnosed with Intellectual Disability: 0		
Have Mobility Need: 32	Have Physical Disability: 0		

Inspections / Reviews

03/06/2023 Partial
Lead Inspector: [REDACTED] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND