

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

March 23, 2023

[REDACTED]
BIBLE FELLOWSHIP CHURCH HOMES INC
[REDACTED]

RE: FELLOWSHIP TERRACE
3010 FELLOWSHIP DRIVE
WHITEHALL, PA, 18052
LICENSE/COC#: 21648

Dear [REDACTED]

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 03/07/2023 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: *FELLOWSHIP TERRACE* License #: *21648* License Expiration: *02/08/2024*
 Address: *3010 FELLOWSHIP DRIVE, WHITEHALL, PA 18052*
 County: *LEHIGH* Region: *NORTHEAST*

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: *BIBLE FELLOWSHIP CHURCH HOMES INC*
 Address: *3000 FELLOWSHIP DRIVE, WHITEHALL, PA, 18052*
 Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Type: *C-2 LP* Date: *12/11/2000* Issued By: *L&I*

Staffing Hours

Resident Support Staff: *153* Total Daily Staff: *306* Waking Staff: *230*

Inspection Information

Type: *Partial* Notice: *Unannounced* BHA Docket #:
 Reason: *Complaint* Exit Conference Date: *03/07/2023*

Inspection Dates and Department Representative

03/07/2023 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information
 License Capacity: *165* Residents Served: *129*

Secured Dementia Care Unit
 In Home: *Yes* Area: *Courtyard* Capacity: *24* Residents Served: *24*

Hospice
 Current Residents: *9*

Number of Residents Who:
 Receive Supplemental Security Income: *0* Are 60 Years of Age or Older: *129*
 Diagnosed with Mental Illness: *0* Diagnosed with Intellectual Disability: *1*
 Have Mobility Need: *24* Have Physical Disability: *6*

Inspections / Reviews

03/07/2023 - Partial
 Lead Inspector: [REDACTED] Follow-Up Type: *Not Required*

NO DEFICIENCIES FOUND