

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

March 14, 2023

[REDACTED]
STONERIDGE RETIREMENT LIVING
450 EAST LINCOLN AVENUE
MYERSTOWN,, PA, 17067

RE: STONERIDGE POPLAR RUN
450 EAST LINCOLN AVENUE
MYERSTOWN,, PA, 17067
LICENSE/COC#: 30899

Dear [REDACTED]

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 03/14/2023 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: *STONERIDGE POPLAR RUN* License #: 30899 License Expiration: 09/11/2023
 Address: 450 EAST LINCOLN AVENUE, MYERSTOWN,, PA 17067
 County: *LEBANON* Region: *CENTRAL*

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: *STONERIDGE RETIREMENT LIVING*
 Address: 450 EAST LINCOLN AVENUE, MYERSTOWN,, PA, 17067
 Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Type: *C-1* Date: *11/04/1993* Issued By: *dept of Health*

Staffing Hours

Resident Support Staff: 0 Total Daily Staff: 23 Waking Staff: 17

Inspection Information

Type: *Partial* Notice: *Unannounced* BHA Docket #: 0
 Reason: *Incident* Exit Conference Date: *03/14/2023*

Inspection Dates and Department Representative

03/14/2023 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information

License Capacity: 36 Residents Served: 23

Secured Dementia Care Unit

In Home: No Area: Capacity: Residents Served:

Hospice

Current Residents: 0

Number of Residents Who:

Receive Supplemental Security Income: 0 Are 60 Years of Age or Older: 23
 Diagnosed with Mental Illness: 1 Diagnosed with Intellectual Disability: 0
 Have Mobility Need: 0 Have Physical Disability: 0

Inspections / Reviews

03/14/2023 - Partial

Lead Inspector: [REDACTED] Follow-Up Type: *Not Required*

NO DEFICIENCIES FOUND