

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

March 28, 2023

[REDACTED]
DUBOIS CONTINUUM OF CARE COMMUNITY INC
282 SOUTH EIGHTH STREET
DUBOIS, PA, 15801

RE: DUBOIS VILLAGE
282 SOUTH EIGHTH STREET
DUBOIS, PA, 15801
LICENSE/COC#: 44867

Dear [REDACTED]

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 03/16/2023 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: DUBOIS VILLAGE License #: 44867 License Expiration: 06/04/2023
 Address: 282 SOUTH EIGHTH STREET, DUBOIS, PA 15801
 County: CLEARFIELD Region: WESTERN

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: DUBOIS CONTINUUM OF CARE COMMUNITY INC
 Address: 282 SOUTH EIGHTH STREET, DUBOIS, PA, 15801
 Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Type: I 2 Date: 08/02/2011 Issued By: L&I
 Type: C 2 LP Date: 08/07/1996 Issued By: L&I

Staffing Hours

Resident Support Staff: 0 Total Daily Staff: 95 Waking Staff: 71

Inspection Information

Type: Partial Notice: Unannounced BHA Docket #:
 Reason: Complaint Exit Conference Date: 03/16/2023

Inspection Dates and Department Representative

03/16/2023 On Site [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information
 License Capacity: 118 Residents Served: 76
 Secured Dementia Care Unit
 In Home: Yes Area: SDCU Capacity: 9 Residents Served: 8
 Hospice
 Current Residents: 0
 Number of Residents Who:
 Receive Supplemental Security Income: 2 Are 60 Years of Age or Older: 75
 Diagnosed with Mental Illness: 2 Diagnosed with Intellectual Disability: 2
 Have Mobility Need: 19 Have Physical Disability: 0

Inspections / Reviews

03/16/2023 - Partial
 Lead Inspector: [REDACTED] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND