

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY PUBLIC

March 21, 2023

[REDACTED], PRESIDENT
ALEXANDRIA MANOR OF ALLENTOWN INC
7 SOUTH NEW STREET
NAZARETH, PA, 18064

RE: ALEXANDRIA MANOR
7 SOUTH NEW STREET
NAZARETH, PA, 18064
LICENSE/COC#: 21064

Dear [REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 03/17/2023 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,

[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: ALEXANDRIA MANOR License #: 21064 License Expiration: 08/15/2023
 Address: 7 SOUTH NEW STREET, NAZARETH, PA 18064
 County: NORTHAMPTON Region: NORTHEAST

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: ALEXANDRIA MANOR OF ALLENTOWN INC
 Address: 7 SOUTH NEW STREET, NAZARETH, PA, 18064
 Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Type: C 2 LP Date: 03/20/2025 Issued By: Dept. of Labor & Industry

Staffing Hours

Resident Support Staff: 67 Total Daily Staff: 151 Waking Staff: 113

Inspection Information

Type: Partial Notice: Unannounced BHA Docket #:
 Reason: Incident Exit Conference Date: 03/17/2023

Inspection Dates and Department Representative

03/17/2023 On Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information
 License Capacity: 93 Residents Served: 67
 Secured Dementia Care Unit
 In Home: No Area: Capacity: Residents Served:
 Hospice
 Current Residents: 16
 Number of Residents Who:
 Receive Supplemental Security Income: 0 Are 60 Years of Age or Older: 67
 Diagnosed with Mental Illness: 2 Diagnosed with Intellectual Disability: 2
 Have Mobility Need: 17 Have Physical Disability: 0

Inspections / Reviews

03/17/2023 - Partial
 Lead Inspector: [REDACTED] Follow Up Type: Not Required

NO DEFICIENCIES FOUND