

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

March 24, 2023

[REDACTED]
BARNES AID OPCO LLC
[REDACTED]

RE: BARNES PLACE
2021 JAMES STREET
LATROBE, PA, 15650
LICENSE/COC#: 44488

Dear [REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 03/21/2023 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: *BARNES PLACE* License #: *44488* License Expiration: *01/11/2024*
Address: *2021 JAMES STREET, LATROBE, PA 15650*
County: *WESTMORELAND* Region: *WESTERN*

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: *BARNES AID OPCO LLC*
Address: *330 N. WABASH AVE. SUITE 3700, CHICAGO, IL, 60611*
Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Type: *C-2 LP* Date: *09/26/1997* Issued By: *Labor and Industry*

Staffing Hours

Resident Support Staff: *0* Total Daily Staff: *82* Waking Staff: *62*

Inspection Information

Type: *Partial* Notice: *Unannounced* BHA Docket #:
Reason: *Complaint* Exit Conference Date: *03/24/2023*

Inspection Dates and Department Representative

03/21/2023 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information

License Capacity: *68* Residents Served: *58*

Secured Dementia Care Unit

In Home: *No* Area: Capacity: Residents Served:

Hospice

Current Residents: *6*

Number of Residents Who:

Receive Supplemental Security Income: *0* Are 60 Years of Age or Older: *58*
Diagnosed with Mental Illness: *0* Diagnosed with Intellectual Disability: *0*
Have Mobility Need: *24* Have Physical Disability: *0*

Inspections / Reviews

03/21/2023 - Partial

Lead Inspector: [REDACTED] Follow-Up Type: *Not Required*

NO DEFICIENCIES FOUND