

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

May 18, 2023

[REDACTED]
THE COMMUNITY AT ROCKHILL
3250 STATE ROAD
SELLERSVILLE, PA, 18960

RE: THE COMMUNITY AT ROCKHILL
3250 STATE ROAD
SELLERSVILLE, PA, 18960
LICENSE/COC#: 12687

Dear [REDACTED]

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 04/13/2023, 04/14/2023, 04/17/2023 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: THE COMMUNITY AT ROCKHILL License #: 12687 License Expiration: 04/02/2024
Address: 3250 STATE ROAD, SELLERSVILLE, PA 18960
County: BUCKS Region: SOUTHEAST

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: THE COMMUNITY AT ROCKHILL
Address: 3250 STATE ROAD, SELLERSVILLE, PA, 18960
Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Staffing Hours

Resident Support Staff: Total Daily Staff: 44 Waking Staff: 33

Inspection Information

Type: Partial Notice: Unannounced BHA Docket #:
Reason: Complaint Exit Conference Date: 05/16/2023

Inspection Dates and Department Representative

04/13/2023 On Site [REDACTED]
04/14/2023 Off Site [REDACTED]
04/17/2023 Off Site [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information			
License Capacity: 74	Residents Served: 44		
Secured Dementia Care Unit			
In Home: No	Area:	Capacity:	Residents Served:
Hospice			
Current Residents: x			
Number of Residents Who:			
Receive Supplemental Security Income: 0	Are 60 Years of Age or Older: 44		
Diagnosed with Mental Illness: 1	Diagnosed with Intellectual Disability: 0		
Have Mobility Need: 0	Have Physical Disability: 0		

Inspections / Reviews

04/13/2023 - Partial
Lead Inspector: [REDACTED] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND