

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

April 24, 2023

[REDACTED]
235 NORTH GALLATIN AVENUE
UNIONTOWN, PA, 15401

RE: MCVEY PERSONAL CARE HOME
235 NORTH GALLATIN AVENUE
UNIONTOWN, PA, 15401
LICENSE/COC#: 46024

Dear [REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 04/18/2023 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: *MCVEY PERSONAL CARE HOME* License #: *46024* License Expiration: *04/16/2024*
 Address: *235 NORTH GALLATIN AVENUE, UNIONTOWN, PA 15401*
 County: *FAYETTE* Region: *WESTERN*

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: *JEAN MCVEY*
 Address: *235 NORTH GALLATIN AVENUE, UNIONTOWN, PA, 15401*
 Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Type: *C-3 SP* Date: *03/04/1992* Issued By: *L&I*

Staffing Hours

Resident Support Staff: *0* Total Daily Staff: *8* Waking Staff: *6*

Inspection Information

Type: *Partial* Notice: *Unannounced* BHA Docket #:
 Reason: *Complaint* Exit Conference Date: *04/18/2023*

Inspection Dates and Department Representative

04/18/2023 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information
 License Capacity: *8* Residents Served: *8*

Secured Dementia Care Unit
 In Home: *No* Area: Capacity: Residents Served:

Hospice
 Current Residents: *2*

Number of Residents Who:
 Receive Supplemental Security Income: *4* Are 60 Years of Age or Older: *7*
 Diagnosed with Mental Illness: *2* Diagnosed with Intellectual Disability: *2*
 Have Mobility Need: *0* Have Physical Disability: *0*

Inspections / Reviews

04/18/2023 - Partial
 Lead Inspector: [REDACTED] Follow-Up Type: *Not Required*

NO DEFICIENCIES FOUND