

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

May 1, 2023

[REDACTED]
FITZMAURICE COMMUNITY SERVICES INC
[REDACTED]

RE: FITZMAURICE COMMUNITY
SERVICES, INC.
5 ELM STREET
STROUDSBURG, PA, 18360
LICENSE/COC#: 20954

Dear [REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 04/24/2023, 04/28/2023 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: FITZMAURICE COMMUNITY SERVICES, INC **License #:** 20954 **License Expiration:** 06/24/2023
Address: 5 ELM STREET, STROUDSBURG, PA 18360
County: MONROE **Region:** NORTHEAST

Administrator

Name: [REDACTED] **Phone:** [REDACTED] **Email:** [REDACTED]

Legal Entity

Name: FITZMAURICE COMMUNITY SERVICES INC
Address: [REDACTED]
Phone: [REDACTED] 3 **Email:** [REDACTED]

Certificate(s) of Occupancy

Staffing Hours

Resident Support Staff: 8 **Total Daily Staff:** 16 **Waking Staff:** 12

Inspection Information

Type: Partial **Notice:** Unannounced **BHA Docket #:**
Reason: Incident **Exit Conference Date:** 04/28/2023

Inspection Dates and Department Representative

04/24/2023 Off Site [REDACTED]
04/28/2023 Off Site [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information
License Capacity: 8 **Residents Served:** 8
Secured Dementia Care Unit
In Home: No **Area:** **Capacity:** **Residents Served:**
Hospice
Current Residents: 0
Number of Residents Who:
Receive Supplemental Security Income: 8 **Are 60 Years of Age or Older:** 4
Diagnosed with Mental Illness: 8 **Diagnosed with Intellectual Disability:** 0
Have Mobility Need: 0 **Have Physical Disability:** 0

Inspections / Reviews

04/24/2023 - Partial
Lead Inspector: [REDACTED] **Follow-Up Type:** Not Required

NO DEFICIENCIES FOUND