

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

May 2, 2023

[REDACTED]
BOARD OF DIRECTORS OF THE ROUSE ESTATE
615 ROUSE AVENUE
YOUNGSVILLE, PA, 16371

RE: SUITES AT ROUSE
615 ROUSE AVENUE
YOUNGSVILLE, PA, 16371
LICENSE/COC#: 46900

Dear [REDACTED]

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 04/25/2023 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: SUITES AT ROUSE License #: 46900 License Expiration: 12/24/2023
 Address: 615 ROUSE AVENUE, YOUNGSVILLE, PA 16371
 County: WARREN Region: WESTERN

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: BOARD OF DIRECTORS OF THE ROUSE ESTATE
 Address: 615 ROUSE AVENUE, YOUNGSVILLE, PA, 16371
 Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Type: C 2 LP Date: 08/02/1995 Issued By: L&I
 Type: I 2 Date: 06/18/2019 Issued By: City of Warren

Staffing Hours

Resident Support Staff: 0 Total Daily Staff: 79 Waking Staff: 59

Inspection Information

Type: Partial Notice: Unannounced BHA Docket #:
 Reason: Incident Exit Conference Date: 04/25/2023

Inspection Dates and Department Representative

04/25/2023 On Site [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information
 License Capacity: 120 Residents Served: 61

Secured Dementia Care Unit
 In Home: Yes Area: SDCU Capacity: 10 Residents Served: 6

Hospice
 Current Residents: 0

Number of Residents Who:
 Receive Supplemental Security Income: 0 Are 60 Years of Age or Older: 61
 Diagnosed with Mental Illness: 5 Diagnosed with Intellectual Disability: 1
 Have Mobility Need: 18 Have Physical Disability: 0

Inspections / Reviews

04/25/2023 - Partial
 Lead Inspector: [REDACTED] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND