

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

May 12, 2023

[REDACTED]
ARCADIA AT LIMERICK POINTE LLC
[REDACTED]
[REDACTED]

RE: ARCADIA AT LIMERICK POINTE
51 WEST ARCADIA DRIVE
LIMERICK, PA, 19468
LICENSE/COC#: 14795

Dear [REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 05/11/2023 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: ARCADIA AT LIMERICK POINTE **Licen e #:** 14795 **Licen e Expiration:** 05/18/2024
Address: 51 WEST ARCADIA DRIVE, LIMERICK, PA 19468
County: MONTGOMERY **Region:** SOUTHEAST

Administrator

Name: [REDACTED] **Phone:** [REDACTED] **Email:** [REDACTED]

Legal Entity

Name: ARCADIA AT LIMERICK POINTE LLC
Address: [REDACTED]
Phone: [REDACTED] **Email:** [REDACTED]

Certificate(s) of Occupancy

Type: / 1 **Date:** 04/12/2021 **I sued By:** Limerick Township

Staffing Hours

Resident Support Staff: 0 **Total Daily Staff:** 108 **Waking Staff:** 81

Inspection Information

Type: Partial **Notice:** Unannounced **BHA Docket #:**
Reason: Incident **Exit Conference Date:** 05/11/2023

Inspection Dates and Department Representative

05/11/2023 On Site [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information

License Capacity: 110 **Residents Served:** 76

Secured Dementia Care Unit

In Home: Yes **Area:** The Compass **Capacity:** 48 **Residents Served:** 32

Hospice

Current Residents: 5

Number of Residents Who:

Receive Supplemental Security Income: 0 **Are 60 Years of Age or Older:** 76
Diagnosed with Mental Illness: 0 **Diagnosed with Intellectual Disability:** 0
Have Mobility Need: 32 **Have Physical Disability:** 0

Inspections / Reviews

05/11/2023 - Partial

Lead Inspector: [REDACTED] **Follow-Up Type:** Not Required

NO DEFICIENCIES FOUND