

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

June 30, 2023

[REDACTED], ADMINISTRATOR
ALEXANDRIA MANOR OF ALLENTOWN, INC.
[REDACTED]

RE: ALEXANDRIA MANOR OF
ALLENTOWN - BETHLEHEM
CAMPUS
3534 LINDEN STREET
BETHLEHEM, PA, 18017
LICENSE/COC#: 21456

Dear [REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 06/01/2023, 06/14/2023 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: ALEXANDRIA MANOR OF ALLENTOWN - BETHLEHEM CAMPUS **License #:** 21456 **License Expiration:** 09/29/2023

Address: 3534 LINDEN STREET, BETHLEHEM, PA 18017

County: NORTHAMPTON

Region: NORTHEAST

Administrator

Name: [REDACTED]

Phone: [REDACTED]

Email: [REDACTED]

Legal Entity

Name: ALEXANDRIA MANOR OF ALLENTOWN, INC.

Address: [REDACTED]

Phone: [REDACTED]

Email: [REDACTED]

Certificate(s) of Occupancy

Staffing Hours

Resident Support Staff: 0

Total Daily Staff: 48

Waking Staff: 36

Inspection Information

Type: Partial

Notice: Unannounced

BHA Docket #:

Reason: Complaint

Exit Conference Date: 06/14/2023

Inspection Dates and Department Representative

06/01/2023 - Off-Site: [REDACTED]

06/14/2023 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information

License Capacity: 58

Residents Served: 45

Secured Dementia Care Unit

In Home: No

Area:

Capacity:

Residents Served:

Hospice

Current Residents: 2

Number of Residents Who:

Receive Supplemental Security Income: 0

Are 60 Years of Age or Older: 45

Diagnosed with Mental Illness: 1

Diagnosed with Intellectual Disability: 0

Have Mobility Need: 3

Have Physical Disability: 1

Inspections / Reviews

06/01/2023 Partial

Lead Inspector: [REDACTED]

Follow-Up Type: Not Required

NO DEFICIENCIES FOUND