

Department of Human Services  
Bureau of Human Service Licensing  
LICENSING INSPECTION SUMMARY - PUBLIC

June 7, 2023

[REDACTED]  
AMANDA WEIKERT  
159 KINGSDALE ROAD  
LITTLESTOWN, PA, 17340

RE: WEIKERT'S CARE HOME  
159 KINGSDALE ROAD  
LITTLESTOWN, PA, 17340  
LICENSE/COC#: 33743

Dear [REDACTED]

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 06/06/2023 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,  
[REDACTED]

Enclosure  
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

## Facility Information

Name: WEIKERT'S CARE HOME

License #: 33743

License Expiration: 06/15/2023

Address: 159 KINGSDALE ROAD, LITTLESTOWN, PA 17340

County: ADAMS

Region: CENTRAL

## Administrator

Name: [REDACTED]

Phone: [REDACTED]

Email: [REDACTED]

## Legal Entity

Name: AMANDA WEIKERT

Address: 159 KINGSDALE ROAD, LITTLESTOWN, PA, 17340

Phone: [REDACTED]

Email: [REDACTED]

## Certificate(s) of Occupancy

Type: C 3 SP

Date: 01/04/2002

Issued By: L&amp;I

## Staffing Hours

Resident Support Staff: 0

Total Daily Staff: 7

Waking Staff: 5

## Inspection Information

Type: Partial

Notice: Unannounced

BHA Docket #:

Reason: Complaint

Exit Conference Date: 06/06/2023

## Inspection Dates and Department Representative

06/06/2023 On Site [REDACTED]

## Resident Demographic Data as of Inspection Dates

## General Information

License Capacity: 8

Residents Served: 6

## Secured Dementia Care Unit

In Home: No

Area:

Capacity:

Residents Served:

## Hospice

Current Residents: 1

## Number of Residents Who:

Receive Supplemental Security Income: 0

Are 60 Years of Age or Older: 6

Diagnosed with Mental Illness: 0

Diagnosed with Intellectual Disability: 0

Have Mobility Need: 1

Have Physical Disability: 0

## Inspections / Reviews

06/06/2023 - Partial

Lead Inspector: [REDACTED]

Follow-Up Type: Not Required

NO DEFICIENCIES FOUND