

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

June 29, 2023

[REDACTED]
RURAL LIVING INC
[REDACTED]

RE: WYNWOOD HOUSE AT GREENHILLS
301 FARMSTEAD LANE
STATE COLLEGE, PA, 16803
LICENSE/COC#: 24323

Dear [REDACTED]

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 06/08/2023 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,

[REDACTED]
Human Services Licensing Supervisor

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: WYNWOOD HOUSE AT GREENHILLS **License #:** 24323 **License Expiration:** 12/13/2023
Address: 301 FARMSTEAD LANE, STATE COLLEGE, PA 16803
County: CENTRE **Region:** NORTHEAST

Administrator

Name: [REDACTED] **Phone:** [REDACTED] **Email:** [REDACTED]

Legal Entity

Name: RURAL LIVING INC

Address: [REDACTED]

Phone: [REDACTED]

Email: [REDACTED]

Certificate(s) of Occupancy

Type: C 2 LP **Date:** 04/03/1997 **Issued By:** PA L&I

Staffing Hours

Resident Support Staff: 0 **Total Daily Staff:** 36 **Waking Staff:** 27

Inspection Information

Type: Partial **Notice:** Unannounced **BHA Docket #:**
Reason: Complaint, Incident **Exit Conference Date:** 06/08/2023

Inspection Dates and Department Representative

06/08/2023 On Site [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information

License Capacity: 47 **Residents Served:** 32

Secured Dementia Care Unit

In Home: Yes **Area:** Secured Unit **Capacity:** 15 **Residents Served:** 0

Hospice

Current Residents: 2

Number of Residents Who:

Receive Supplemental Security Income: 0 **Are 60 Years of Age or Older:** 32
Diagnosed with Mental Illness: 3 **Diagnosed with Intellectual Disability:** 0
Have Mobility Need: 4 **Have Physical Disability:** 0

Inspections / Reviews

06/08/2023 - Partial

Lead Inspector: [REDACTED] **Follow-Up Type:** Not Required

NO DEFICIENCIES FOUND