

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

June 16, 2023

[REDACTED], AUTHORIZED PERSON
WELLTOWER OPCO GROUP LLC
[REDACTED]
ATTN LICENSING
[REDACTED]

RE: SUNRISE OF UPPER ST. CLAIR
500 VILLAGE DRIVE
UPPER ST. CLAIR, PA, 15241
LICENSE/COC#: 44882

Dear [REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 06/14/2023 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: *SUNRISE OF UPPER ST CLAIR* License #: *44882* License Expiration: *12/15/2023*
 Address: *500 VILLAGE DRIVE, UPPER ST. CLAIR, PA 15241*
 County: *ALLEGHENY* Region: *WESTERN*

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: *WELLTOWER OPCO GROUP LLC*
 Address: [REDACTED]
 Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Type: *1 2* Date: *07/27/2005* Issued By: *Township of Upper Saint Clairz*

Staffing Hours

Resident Support Staff: *0* Total Daily Staff: *114* Waking Staff: *86*

Inspection Information

Type: *Partial* Notice: *Unannounced* BHA Docket #:
 Reason: *Complaint* Exit Conference Date: *06/14/2023*

Inspection Dates and Department Representative

06/14/2023 On Site [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information
 License Capacity: *94* Residents Served: *70*

Secured Dementia Care Unit
 In Home: *Yes* Area: *First Floor* Capacity: *36* Residents Served: *27*

Hospice
 Current Residents: *12*

Number of Residents Who:
 Receive Supplemental Security Income: *0* Are 60 Years of Age or Older: *70*
 Diagnosed with Mental Illness: *0* Diagnosed with Intellectual Disability: *0*
 Have Mobility Need: *44* Have Physical Disability: *0*

Inspections / Reviews

06/14/2023 - Partial
 Lead Inspector: [REDACTED] Follow-Up Type: *Not Required*

NO DEFICIENCIES FOUND