

Department of Human Services  
Bureau of Human Service Licensing  
LICENSING INSPECTION SUMMARY - PUBLIC

August 1, 2023

[REDACTED], OWNER  
111 EASY STREET  
UNIONTOWN, PA, 15401

RE: PERONI PERSONAL CARE HOME  
111 EASY STREET  
UNIONTOWN, PA, 15401  
LICENSE/COC#: 42627

Dear [REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 07/31/2023 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,  
[REDACTED]

Enclosure  
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

**Facility Information**

Name: PERONI PERSONAL CARE HOME License #: 42627 License Expiration: 06/03/2024  
 Address: 111 EASY STREET, UNIONTOWN, PA 15401  
 County: FAYETTE Region: WESTERN

**Administrator**

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

**Legal Entity**

Name: ANTHONY J PERONI  
 Address: 111 EASY STREET, UNIONTOWN, PA, 15401  
 Phone: [REDACTED] Email: [REDACTED]

**Certificate(s) of Occupancy**

Type: 1 Date: 04/20/2010 Issued By: City of Uniontown

**Staffing Hours**

Resident Support Staff: Total Daily Staff: 36 Waking Staff: 27

**Inspection Information**

Type: Partial Notice: Unannounced BHA Docket #:  
 Reason: Complaint Exit Conference Date: 07/31/2023

**Inspection Dates and Department Representative**

07/31/2023 On Site [REDACTED]

**Resident Demographic Data as of Inspection Dates**

General Information  
 License Capacity: 33 Residents Served: 31  
 Secured Dementia Care Unit  
 In Home: No Area: Capacity: Residents Served:  
 Hospice  
 Current Residents: 9  
 Number of Residents Who:  
 Receive Supplemental Security Income: 0 Are 60 Years of Age or Older: 31  
 Diagnosed with Mental Illness: 0 Diagnosed with Intellectual Disability: 1  
 Have Mobility Need: 5 Have Physical Disability: 0

**Inspections / Reviews**

07/31/2023 - Partial  
 Lead Inspector: [REDACTED] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND