

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

August 22, 2023

[REDACTED], PRESIDENT & CEO
ST PAUL HOMES
339 EAST JAMESTOWN ROAD
GREENVILLE, PA, 16125

RE: THE HERITAGE AT ST. PAUL HOMES
339 EAST JAMESTOWN ROAD
GREENVILLE, PA, 16125
LICENSE/COC#: 42457

Dear [REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 08/10/2023 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,

[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: THE HERITAGE AT ST PAUL HOMES License #: 42457 License Expiration: 07/02/2024
 Address: 339 EAST JAMESTOWN ROAD, GREENVILLE, PA 16125
 County: MERCER Region: WESTERN

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: ST PAUL HOMES
 Address: 339 EAST JAMESTOWN ROAD, GREENVILLE, PA, 16125
 Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Staffing Hours

Resident Support Staff: 0 Total Daily Staff: 73 Waking Staff: 55

Inspection Information

Type: Partial Notice: Unannounced BHA Docket #:
 Reason: Complaint Exit Conference Date: 08/10/2023

Inspection Dates and Department Representative

08/10/2023 On Site [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information
 License Capacity: 125 Residents Served: 51

Secured Dementia Care Unit
 In Home: Yes Area: Capacity: 48 Residents Served: 18
 Serenity Circle, Serenity Lane

Hospice
 Current Residents: 5

Number of Residents Who:
 Receive Supplemental Security Income: 0 Are 60 Years of Age or Older: 51
 Diagnosed with Mental Illness: 0 Diagnosed with Intellectual Disability: 0
 Have Mobility Need: 22 Have Physical Disability: 1

Inspections / Reviews

08/10/2023 - Partial
 Lead Inspector: [REDACTED] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND