

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

August 21, 2023

[REDACTED], VICE PRESIDENT
JUNIPER VILLAGE AT SOUTH HILLS LLC
1320 GREENTREE ROAD
PITTSBURGH, PA, 15220

RE: JUNIPER VILLAGE AT SOUTH HILLS
1320 GREENTREE ROAD
PITTSBURGH, PA, 15220
LICENSE/COC#: 45265

Dear [REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 08/16/2023 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: JUNIPER VILLAGE AT SOUTH HILLS License #: 45265 License Expiration: 07/12/2024
 Address: 1320 GREENTREE ROAD, PITTSBURGH, PA 15220
 County: ALLEGHENY Region: WESTERN

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: JUNIPER VILLAGE AT SOUTH HILLS LLC
 Address: 1320 GREENTREE ROAD, PITTSBURGH, PA, 15220
 Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Type: C 2 LP Date: 07/11/1996 Issued By: Dept of L&I

Staffing Hours

Resident Support Staff: Total Daily Staff: 65 Waking Staff: 49

Inspection Information

Type: Partial Notice: Unannounced BHA Docket #:
 Reason: Complaint Exit Conference Date: 08/16/2023

Inspection Dates and Department Representative

08/16/2023 On Site [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information
 License Capacity: 96 Residents Served: 43

Secured Dementia Care Unit
 In Home: Yes Area: Wellsprings Capacity: 26 Residents Served: 16

Hospice
 Current Residents: 14

Number of Residents Who:
 Receive Supplemental Security Income: 0 Are 60 Years of Age or Older: 43
 Diagnosed with Mental Illness: 0 Diagnosed with Intellectual Disability: 0
 Have Mobility Need: 22 Have Physical Disability: 0

Inspections / Reviews

08/16/2023 - Partial
 Lead Inspector: [REDACTED] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND