

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY PUBLIC

September 6, 2023

[REDACTED], ADMINISTRATOR
MAPLE SHADE MEADOWS LP
[REDACTED]
[REDACTED]

RE: MAPLE SHADE MEADOWS SENIOR
LIVING
50 EAST LOCUST STREET
NESQUEHONING, PA, 18240
LICENSE/COC#: 20400

Dear [REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 08/22/2023 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: MAPLE SHADE MEADOWS SENIOR LIVING License #: 20400 License Expiration: 11/20/2023
 Address: 50 EAST LOCUST STREET, NESQUEHONING, PA 18240
 County: CARBON Region: NORTHEAST

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: MAPLE SHADE MEADOWS LP
 Address: [REDACTED]
 Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Type: I-1 Date: 10/14/2017 Issued By: Nesquehoning Borough

Staffing Hours

Resident Support Staff: 0 Total Daily Staff: 117 Waking Staff: 88

Inspection Information

Type: Partial Notice: Unannounced BHA Docket #:
 Reason: Incident Exit Conference Date: 08/22/2023

Inspection Dates and Department Representative

08/22/2023 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information
 License Capacity: 104 Residents Served: 73

Secured Dementia Care Unit
 In Home: Yes Area: n/a Capacity: 25 Residents Served: 22

Hospice
 Current Residents: 7

Number of Residents Who:
 Receive Supplemental Security Income: 0 Are 60 Years of Age or Older: 73
 Diagnosed with Mental Illness: 0 Diagnosed with Intellectual Disability: 0
 Have Mobility Need: 44 Have Physical Disability: 0

Inspections / Reviews

08/22/2023 Partial
 Lead Inspector: [REDACTED] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND