

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY PUBLIC

September 5, 2023

[REDACTED], OWNER
THE GATHERING PLACE PERSONAL CARE LLC
[REDACTED]
[REDACTED]

RE: THE GATHERING PLACE PERSONAL
CARE
390 MOUNTAIN ROAD
UNIONTOWN, PA, 15401
LICENSE/COC#: 45417

Dear [REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 08/31/2023 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: THE GATHERING PLACE PERSONAL CARE License #: 45417 License Expiration: 12/13/2023
 Address: 390 MOUNTAIN ROAD, UNIONTOWN, PA 15401
 County: FAYETTE Region: WESTERN

Administrator

Name: [REDACTED] Phone: [REDACTED]

Legal Entity

Name: THE GATHERING PLACE PERSONAL CARE LLC
 Address: [REDACTED]

Certificate(s) of Occupancy

Type: C-2 LP Date: 02/06/1993 Issued By: Dept L&I
 Type: Other Date: 08/12/1992 Issued By: Dept L&I

Staffing Hours

Resident Support Staff: Total Daily Staff: 12 Waking Staff: 9

Inspection Information

Type: Partial Notice: Unannounced BHA Docket #:
 Reason: Complaint Exit Conference Date: 08/31/2023

Inspection Dates and Department Representative

08/31/2023 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information
 License Capacity: 16 Residents Served: 11
 Secured Dementia Care Unit
 In Home: No Area: Capacity: Residents Served:
 Hospice
 Current Residents: 4
 Number of Residents Who:
 Receive Supplemental Security Income: 0 Are 60 Years of Age or Older: 10
 Diagnosed with Mental Illness: 1 Diagnosed with Intellectual Disability: 0
 Have Mobility Need: 1 Have Physical Disability: 0

Inspections / Reviews

08/31/2023 Partial
 Lead Inspector: [REDACTED] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND