

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

October 16, 2023

[REDACTED]
DALLASTOWN OPERATING, INC.
621 EAST MAIN STREET
DALLASTOWN, PA, 17313

RE: VICTORIAN VILLA
621 EAST MAIN STREET
DALLASTOWN, PA, 17313
LICENSE/COC#: 32000

Dear [REDACTED]

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 10/10/2023 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: VICTORIAN VILLA License #: 32000 License Expiration: 09/18/2024
 Address: 621 EAST MAIN STREET, DALLASTOWN, PA 17313
 County: YORK Region: CENTRAL

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: DALLASTOWN OPERATING, INC.
 Address: 621 EAST MAIN STREET, DALLASTOWN, PA, 17313
 Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Type: C-2 LP Date: 09/15/1995 Issued By: Labor & Industry

Staffing Hours

Resident Support Staff: Total Daily Staff: 20 Waking Staff: 15

Inspection Information

Type: Partial Notice: Announced BHA Docket #:
 Reason: Interim Exit Conference Date: 10/10/2023

Inspection Dates and Department Representative

10/10/2023 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information

License Capacity: 40 Residents Served: 13

Secured Dementia Care Unit

In Home: No Area: Capacity: Residents Served:

Hospice

Current Residents: 1

Number of Residents Who:

Receive Supplemental Security Income: 0 Are 60 Years of Age or Older: 13
 Diagnosed with Mental Illness: 0 Diagnosed with Intellectual Disability: 0
 Have Mobility Need: 7 Have Physical Disability: 0

Inspections / Reviews

10/10/2023 - Partial

Lead Inspector: [REDACTED] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND