

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

November 2, 2023

[REDACTED]
NORTH PENN MANOR, INC.
240 NORTH SHERMAN STREET
WILKES-BARRE, PA, 18702

RE: NORTH PENN MANOR
240 NORTH SHERMAN STREET
WILKES-BARRE, PA, 18702
LICENSE/COC#: 22032

Dear [REDACTED]

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 10/13/2023 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,

[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: NORTH PENN MANOR License #: 22032 License Expiration: 10/08/2024
 Address: 240 NORTH SHERMAN STREET, WILKES-BARRE, PA 18702
 County: LUZERNE Region: NORTHEAST

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: NORTH PENN MANOR, INC.
 Address: 240 NORTH SHERMAN STREET, WILKES-BARRE, PA, 18702
 Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Staffing Hours

Resident Support Staff: 2 Total Daily Staff: 60 Waking Staff: 45

Inspection Information

Type: Partial Notice: Unannounced BHA Docket #:
 Reason: Complaint, Incident Exit Conference Date: 10/13/2023

Inspection Dates and Department Representative

10/13/2023 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information
 License Capacity: 80 Residents Served: 55
 Secured Dementia Care Unit
 In Home: No Area: Capacity: Residents Served:
 Hospice
 Current Residents: 0
 Number of Residents Who:
 Receive Supplemental Security Income: 17 Are 60 Years of Age or Older: 48
 Diagnosed with Mental Illness: 15 Diagnosed with Intellectual Disability: 0
 Have Mobility Need: 3 Have Physical Disability: 2

Inspections / Reviews

10/13/2023 - Partial
 Lead Inspector: [REDACTED] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND